

BEFORE THE COMMISSIONER OF INSURANCE FOR THE STATE OF IOWA

IN THE MATTER OF THE AUGUST 9, 2012)
RATE FILING BY THE NATIONAL COUNCIL) ORDER
ON COMPENSATION INSURANCE, INC.)


Pursuant to the provisions of Iowa Code chapter 515A, the National Council on Compensation Insurance, Inc. (NCCI) submitted a rate filing on August 9, 2012. Notice of the filing was published on the Iowa Insurance Division's web site on August 10, 2012. A request for a hearing was submitted, but the request was subsequently withdrawn. No additional requests for a hearing were received.

The rate filing initially proposed an overall increase in rates of 7.9%. An amendment was submitted such that effective January 1, 2013, new and renewal policies with rating effective dates of January 1, 2013 through June 30, 2013 will receive an overall rate increase of 3.9%, with rates and minimum premiums adjusted proportionally to those proposed in the August 9, 2012 filing. Effective July 1, 2013, new and renewal policies with rating effective dates of July 1, 2013 and later will receive the overall 7.9% rate increase as proposed from the rates effective January 1, 2012. All other rating and miscellaneous values in the filing remain as originally filed to be effective January 1, 2013.

It is **ORDERED** that the August 9, 2012 rate filing as amended is **APPROVED**.

Dated this 6th day of November, 2012.

Iowa Insurance Division


Susan E. Voss
Commissioner of Insurance

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit IV

IOWA

Page S1

Effective January 1, 2013

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
0005	4.69	500	2.09	0.27	2002	3.34	600	1.55	0.27	2688	5.56	600	2.56	0.27
0008	3.09	500	1.33	0.22	2003	6.36	600	2.87	0.27	2701	13.72	600	5.66	0.20
0016	7.49	350	3.07	0.20	2014	8.12	600	3.33	0.20	2702	25.68	600	8.56	0.17
0034	8.30	500	3.73	0.27	2016	4.55	600	2.15	0.28	2709	17.43	600	7.20	0.20
0035	4.52	500	2.12	0.28	2021	4.86	600	2.11	0.22	2710	9.92	600	3.74	0.18
0036	4.80	350	2.16	0.27	2039	5.65	600	2.67	0.28	2714	6.97	600	3.23	0.27
0037	5.76	350	2.48	0.22	2041	5.79	600	2.69	0.27	2731	4.47	600	1.83	0.20
0042	10.42	500	4.50	0.22	2065	6.15	600	2.77	0.27	2735	10.61	600	4.88	0.27
0050	13.05	600	5.85	0.27	2070	7.58	600	3.41	0.27	2759	8.68	600	4.02	0.27
0059D	0.60	-	0.10	0.17	2081	7.92	600	3.52	0.27	2790	2.11	492	0.98	0.27
0065D	0.13	-	0.03	0.20	2089	5.39	600	2.42	0.27	2797	7.54	600	3.26	0.22
0066D	0.13	-	0.03	0.20	2095	5.02	600	2.24	0.27	2799	4.60	600	2.00	0.22
0067D	0.13	-	0.03	0.20	2105	4.40	600	2.04	0.27	2802	7.54	600	3.26	0.22
0079	6.19	500	2.54	0.20	2110	3.72	600	1.73	0.27	2812	-	-	2.17	0.27
0083	8.34	350	3.74	0.27	2111	2.71	558	1.26	0.27	2835	4.27	600	2.07	0.34
0106	13.79	600	5.22	0.18	2112	3.89	600	1.82	0.27	2836	3.95	600	1.90	0.34
0113	5.16	600	2.30	0.27	2114	2.95	585	1.37	0.27	2841	7.28	600	3.37	0.27
0170	5.51	600	2.46	0.27	2121	2.50	535	1.13	0.27	2881	4.03	600	1.95	0.34
0251	4.64	600	2.09	0.27	2130	3.84	600	1.73	0.27	2883	4.86	600	2.17	0.27
0400	9.66	600	4.21	0.22	2131	4.32	600	1.95	0.27	2913	8.23	600	3.97	0.34
0401	11.35	A	4.29	0.18	2143	3.17	600	1.48	0.27	2915	5.06	600	2.19	0.22
0771N	0.76	-	-	-	2156	-	-	2.68	0.27	2916	4.84	600	1.83	0.18
0908P	253.00	513	113.86	0.27	2157	5.96	600	2.68	0.27	2923	3.06	597	1.43	0.27
0909	-	-	113.86	0.27	2172	3.04	594	1.33	0.22	2942	3.92	600	1.91	0.34
0912	-	-	281.24	0.27	2174	4.56	600	2.14	0.27	2960	6.50	600	2.92	0.27
0913P	625.00	600	281.24	0.27	2211	10.35	600	4.21	0.20	3004	2.53	538	1.05	0.20
0917	6.23	600	2.90	0.27	2220	3.47	600	1.56	0.27	3018	3.59	600	1.49	0.20
1005*	12.17	600	2.88	0.17	2286	2.92	581	1.35	0.27	3022	5.20	600	2.42	0.27
1016X*	30.42	600	6.51	0.17	2288	4.55	600	2.13	0.27	3027	5.72	600	2.36	0.20
1164D	7.64	600	2.49	0.17	2300	3.20	600	1.55	0.34	3028	3.77	600	1.70	0.27
1165D	6.24	600	2.34	0.18	2302	2.83	571	1.27	0.27	3030	7.66	600	3.13	0.20
1320	4.03	600	1.53	0.18	2305	3.41	600	1.48	0.22	3040	6.84	600	2.80	0.20
1322	12.00	600	4.57	0.18	2361	2.67	554	1.19	0.27	3041	6.33	600	2.85	0.27
1430	10.10	600	4.13	0.20	2362	2.17	499	0.97	0.27	3042	7.42	600	3.25	0.22
1438	6.06	600	2.29	0.18	2380	3.38	600	1.51	0.27	3064	5.68	600	2.55	0.27
1452	2.96	586	1.22	0.20	2386	2.67	554	1.25	0.27	3066	-	-	2.17	0.27
1463	29.45	600	11.18	0.18	2388	2.83	571	1.32	0.27	3069	6.41	600	2.63	0.20
1472	6.09	600	2.29	0.18	2402	4.14	600	1.70	0.20	3076	4.66	600	2.17	0.27
1624D	6.50	600	2.43	0.18	2413	3.03	593	1.36	0.27	3081D	6.35	600	2.57	0.20
1642	6.39	600	2.64	0.20	2416	2.61	547	1.17	0.27	3082D	8.53	600	3.45	0.20
1654	8.46	600	3.47	0.20	2417	3.41	600	1.54	0.27	3085D	11.02	600	4.45	0.20
1655	7.68	600	3.20	0.20	2501	4.62	600	2.07	0.27	3110	6.82	600	3.08	0.27
1699	5.42	600	2.24	0.20	2503	1.85	464	0.86	0.27	3111	3.92	600	1.76	0.27
1701	4.48	600	1.85	0.20	2534	3.75	600	1.73	0.27	3113	4.82	600	2.16	0.27
1710D	5.96	600	2.43	0.20	2570	5.30	600	2.48	0.27	3114	4.38	600	1.98	0.27
1741D	5.29	600	1.53	0.17	2585	5.84	600	2.71	0.27	3118	2.41	525	1.12	0.27
1747	2.80	568	1.16	0.20	2586	4.40	600	1.98	0.27	3119	1.83	461	0.89	0.34
1748	5.57	600	2.27	0.20	2587	6.03	600	2.81	0.27	3122	2.95	585	1.36	0.27
1803D	10.18	600	3.70	0.18	2589	3.41	600	1.53	0.27	3126	5.63	600	2.55	0.27
1852D	4.67	600	1.36	0.17	2600	3.07	598	1.44	0.27	3131	3.00	590	1.34	0.27
1853	3.77	600	1.66	0.22	2623	7.40	600	3.20	0.22	3132	4.51	600	2.02	0.27
1860	2.47	532	1.15	0.27	2651	3.69	600	1.71	0.27	3145	3.48	600	1.56	0.27
1924	4.13	600	1.93	0.27	2660	3.58	600	1.66	0.27	3146	3.61	600	1.62	0.27
1925	9.15	600	3.94	0.22	2670	2.98	588	1.44	0.34	3169	5.11	600	2.29	0.27
2001	-	-	2.87	0.27	2683	3.77	600	1.74	0.27	3175D	5.06	600	2.24	0.27

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit IV

Effective January 1, 2013

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
3179	4.10	600	1.90	0.27	3851	4.96	600	2.31	0.27	4511	0.89	358	0.38	0.22
3180	3.58	600	1.66	0.27	3865	2.79	567	1.36	0.34	4557	2.61	547	1.21	0.27
3188	2.83	571	1.32	0.27	3881	7.73	600	3.50	0.27	4558	5.38	600	2.39	0.27
3220	2.68	555	1.21	0.27	4000	12.62	600	4.73	0.18	4561	-	-	1.18	0.22
3223	5.08	600	2.43	0.34	4021	8.64	600	3.57	0.20	4568	4.59	600	1.90	0.20
3224	5.18	600	2.43	0.27	4024D	6.96	600	2.85	0.20	4581	2.37	521	0.89	0.18
3227	5.45	600	2.53	0.27	4034	10.99	600	4.53	0.20	4583	5.02	600	1.89	0.18
3240	2.99	589	1.39	0.27	4036	4.11	600	1.70	0.20	4611	2.07	488	0.96	0.27
3241	4.84	600	2.17	0.27	4038	5.76	600	2.77	0.34	4635	4.37	600	1.44	0.17
3255	2.38	522	1.15	0.34	4053	4.27	600	1.91	0.27	4653	2.56	542	1.20	0.27
3257	5.03	600	2.25	0.27	4061	7.67	600	3.58	0.27	4665	13.05	600	5.37	0.20
3270	3.62	600	1.63	0.27	4062	2.21	503	0.99	0.27	4670	7.52	600	3.11	0.20
3300	7.16	600	3.22	0.27	4101	4.62	600	2.00	0.22	4683	4.16	600	1.87	0.27
3303	3.79	600	1.77	0.27	4109	1.43	417	0.66	0.27	4686	4.11	600	1.69	0.20
3307	3.77	600	1.69	0.27	4110	1.95	475	0.89	0.27	4692	1.24	396	0.58	0.27
3315	7.92	600	3.67	0.27	4111	3.23	600	1.51	0.27	4693	2.82	570	1.28	0.27
3334	5.87	600	2.67	0.27	4112	-	-	0.89	0.27	4703	5.99	600	2.70	0.27
3336	5.08	600	2.09	0.20	4113	2.40	524	1.08	0.27	4717	2.48	533	1.20	0.34
3365	10.99	600	4.51	0.20	4114	3.80	600	1.71	0.27	4720	4.14	600	1.85	0.27
3372	4.27	600	1.85	0.22	4130	4.83	600	2.17	0.27	4740	3.45	600	1.43	0.20
3373	8.47	600	3.80	0.27	4131	6.23	600	2.88	0.27	4741	3.53	600	1.60	0.27
3383	1.69	446	0.79	0.27	4133	4.48	600	2.06	0.27	4751	4.65	600	1.88	0.20
3385	1.28	401	0.60	0.27	4149	1.40	414	0.67	0.34	4771N	4.32	600	1.44	0.17
3400	4.41	600	1.91	0.22	4150	-	-	0.67	0.34	4777	6.91	600	2.30	0.17
3507	6.61	600	2.97	0.27	4206	6.12	600	2.75	0.27	4825	3.19	600	1.31	0.20
3515	3.35	600	1.51	0.27	4207	3.23	600	1.32	0.20	4828	2.37	521	1.03	0.22
3548	2.98	588	1.34	0.27	4239	3.92	600	1.61	0.20	4829	1.64	440	0.62	0.18
3559	5.34	600	2.38	0.27	4240	5.06	600	2.34	0.27	4902	4.31	600	2.00	0.27
3574	2.22	504	1.03	0.27	4243	3.35	600	1.50	0.27	4923	1.97	477	0.88	0.27
3581	2.34	517	1.09	0.27	4244	3.53	600	1.59	0.27	5020	7.25	600	3.00	0.20
3612	4.47	600	1.94	0.22	4250	4.27	600	1.92	0.27	5022	11.02	600	4.19	0.18
3620	6.33	600	2.60	0.20	4251	3.92	600	1.76	0.27	5037	67.55	600	22.68	0.17
3629	2.82	570	1.31	0.27	4263	4.53	600	2.02	0.27	5040	40.67	600	13.61	0.17
3632	5.78	600	2.50	0.22	4273	3.80	600	1.70	0.27	5057	11.02	600	3.68	0.17
3634	2.64	550	1.23	0.27	4279	2.89	578	1.30	0.27	5059	40.77	600	13.47	0.17
3635	5.42	600	2.44	0.27	4282	3.84	600	1.82	0.28	5069	48.50	600	16.34	0.17
3638	5.82	600	2.72	0.27	4283	4.34	600	1.95	0.27	5102	7.05	600	2.68	0.18
3642	2.76	564	1.24	0.27	4299	3.25	600	1.52	0.27	5146	7.78	600	3.21	0.20
3643	2.85	574	1.28	0.27	4304	6.47	600	2.79	0.22	5160	4.73	600	1.80	0.18
3647	3.48	600	1.51	0.22	4307	2.58	544	1.24	0.34	5183	6.01	600	2.49	0.20
3648	2.04	484	0.95	0.27	4351	1.19	391	0.54	0.27	5188	5.97	600	2.47	0.20
3681	2.01	481	0.93	0.27	4352	1.92	471	0.89	0.27	5190	4.01	600	1.66	0.20
3685	2.89	578	1.35	0.27	4360	1.59	435	0.75	0.27	5191	2.17	499	0.97	0.27
3719	2.08	489	0.69	0.17	4361	1.42	416	0.66	0.27	5192	5.24	600	2.34	0.27
3724	6.62	600	2.51	0.18	4362	-	-	0.75	0.27	5213	11.44	600	4.34	0.18
3726	10.93	600	3.69	0.17	4410	4.20	600	1.89	0.27	5215	9.27	600	4.04	0.22
3803	7.26	600	3.27	0.27	4420	5.72	600	2.19	0.18	5221	8.60	600	3.54	0.20
3807	3.47	600	1.61	0.27	4431	2.48	533	1.20	0.34	5222	17.14	600	6.49	0.18
3808	3.96	600	1.73	0.22	4432	3.07	598	1.49	0.34	5223	8.56	600	3.53	0.20
3821	9.44	600	4.07	0.22	4439	2.72	559	1.18	0.22	5348	7.22	600	3.00	0.20
3822	7.34	600	3.19	0.22	4452	4.98	600	2.22	0.27	5402	4.67	600	2.18	0.27
3824	8.43	600	3.65	0.22	4459	2.87	576	1.29	0.27	5403	14.80	600	5.60	0.18
3826	1.48	423	0.67	0.27	4470	3.69	600	1.66	0.27	5437	8.74	600	3.64	0.20
3827	3.13	600	1.35	0.22	4484	3.90	600	1.75	0.27	5443	4.99	600	2.24	0.27
3830	1.79	457	0.78	0.22	4493	3.82	600	1.72	0.27	5445	8.94	600	3.40	0.18

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit IV

IOWA

Page S3

Effective January 1, 2013

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
5462	12.14	600	4.99	0.20	6836	9.34	600	3.88	0.20	7520	4.91	600	2.22	0.27
5472	11.53	600	3.82	0.17	6843F	19.65	600	5.12	0.14	7538	12.23	600	4.10	0.17
5473	11.18	600	3.72	0.17	6845F	16.67	600	4.33	0.14	7539	5.36	600	2.02	0.18
5474	7.80	600	2.95	0.18	6854	7.07	600	2.35	0.17	7540	6.64	600	2.19	0.17
5478	6.40	600	2.65	0.20	6872F	14.73	600	3.83	0.14	7580	3.08	599	1.26	0.20
5479	7.62	600	3.31	0.22	6874F	34.61	600	9.00	0.14	7590	7.63	600	3.33	0.22
5480	16.74	600	6.35	0.18	6882	6.14	600	2.08	0.17	7600	3.77	600	1.55	0.20
5491	4.39	600	1.66	0.18	6884	14.37	600	4.87	0.17	7601	-	-	1.55	0.20
5506	9.95	600	3.31	0.17	7016M	14.68	600	5.01	0.17	7605	2.53	538	1.04	0.20
5507	5.05	600	1.92	0.18	7024M	16.30	600	5.57	0.17	7610	0.88	357	0.38	0.22
5508D	21.91	600	9.02	0.20	7038M	5.84	600	1.93	0.17	7611	-	-	1.55	0.20
5535	8.77	600	3.60	0.20	7046M	16.38	600	5.46	0.17	7612	-	-	1.55	0.20
5537	6.57	600	2.70	0.20	7047M	31.25	600	10.12	0.17	7613	-	-	1.55	0.20
5538	-	-	3.16	0.20	7050M	12.42	600	3.89	0.17	7704	-	-	13.78	0.18
5551	21.58	600	7.13	0.17	7090M	6.48	600	2.14	0.17	7705	7.57	600	3.28	0.22
5606	2.36	520	0.89	0.18	7098M	18.20	600	6.07	0.17	7710	36.55	600	13.78	0.18
5610	6.53	600	2.92	0.27	7099M	34.89	600	11.02	0.17	7711	36.55	600	13.78	0.18
5645	11.91	600	4.48	0.18	7133	7.03	600	2.69	0.18	7720	3.88	600	1.59	0.20
5651	-	-	4.48	0.18	7151M	8.54	600	3.26	0.18	7855	9.38	600	3.87	0.20
5703	19.73	600	8.15	0.20	7152M	18.19	600	6.59	0.18	8001	3.14	600	1.46	0.27
5705	14.98	600	6.07	0.20	7153M	9.50	600	3.63	0.18	8002	2.47	532	1.10	0.27
5951	1.62	438	0.74	0.27	7222	8.23	600	3.41	0.20	8006	3.71	600	1.66	0.27
6003	8.76	600	3.62	0.20	7228	10.48	600	4.34	0.20	8008	1.65	442	0.76	0.27
6005	7.84	600	3.25	0.20	7229	10.78	600	4.10	0.18	8010	2.56	542	1.18	0.27
6017	8.46	600	3.53	0.20	7230	15.42	600	6.65	0.22	8013	0.43	307	0.20	0.27
6018	4.29	600	1.78	0.20	7231	13.41	600	5.85	0.22	8015	1.00	370	0.45	0.27
6045	2.36	520	0.97	0.20	7232	8.97	600	3.43	0.19	8017	2.00	480	0.93	0.27
6204	12.61	600	4.79	0.18	7309F	22.83	600	5.92	0.14	8018	3.47	600	1.61	0.27
6206	6.04	600	2.01	0.17	7313F	5.32	600	1.39	0.14	8021	2.81	569	1.26	0.27
6213	3.30	600	1.26	0.18	7317F	10.17	600	2.64	0.14	8031	3.07	598	1.37	0.27
6214	5.25	600	1.76	0.17	7327F	32.01	600	8.39	0.14	8032	3.07	598	1.43	0.27
6216	10.21	600	3.41	0.17	7333M	14.97	600	5.16	0.17	8033	1.92	471	0.85	0.27
6217	8.48	600	3.22	0.18	7335M	16.64	600	5.74	0.17	8037	2.00	480	0.93	0.27
6229	5.91	600	2.23	0.18	7337M	31.90	600	10.42	0.17	8039	1.94	473	0.90	0.27
6233	6.48	600	2.47	0.18	7350F	13.48	600	3.86	0.16	8044	4.03	600	1.75	0.22
6235	12.70	600	4.25	0.17	7360	8.91	600	3.66	0.20	8045	0.61	327	0.28	0.27
6236	15.64	600	6.46	0.20	7370	6.60	600	2.97	0.27	8046	2.72	559	1.22	0.27
6237	2.46	531	1.02	0.20	7380	6.12	600	2.66	0.22	8047	1.42	416	0.66	0.27
6251D	11.08	600	4.21	0.19	7382	5.38	600	2.41	0.27	8058	3.41	600	1.52	0.27
6252D	8.90	600	2.97	0.17	7390	5.13	600	2.31	0.27	8072	0.89	358	0.41	0.27
6260D	10.98	600	3.68	0.17	7394M	8.98	600	3.03	0.17	8102	2.65	552	1.23	0.27
6306	8.73	600	3.31	0.18	7395M	9.97	600	3.36	0.17	8103	4.10	600	1.78	0.22
6319	4.65	600	1.77	0.18	7398M	19.11	600	6.10	0.17	8105	4.03	600	1.87	0.27
6325	9.14	600	3.47	0.18	7402	0.32	295	0.14	0.27	8106	8.25	600	3.38	0.20
6400	8.43	600	3.67	0.22	7403	6.37	600	2.63	0.20	8107	4.14	600	1.70	0.20
6503	3.07	598	1.44	0.27	7405N	1.42	500	0.58	0.20	8111	3.25	600	1.46	0.27
6504	3.07	598	1.44	0.27	7420	13.45	600	4.57	0.17	8116	3.45	600	1.54	0.27
6702M*	11.39	600	4.70	0.20	7421	2.27	510	0.86	0.18	8203	8.16	600	3.68	0.27
6703M*	24.28	600	9.49	0.20	7422	4.32	600	1.46	0.17	8204	7.95	600	3.30	0.20
6704M*	12.66	600	5.23	0.20	7425	4.51	600	1.53	0.17	8209	6.98	600	3.14	0.27
6801F	7.82	600	2.36	0.18	7431N	1.68	545	0.57	0.17	8215	4.29	600	1.76	0.20
6811	7.40	600	3.06	0.20	7445N	0.76	-	-	-	8227	8.35	600	2.78	0.17
6824F	13.28	600	3.84	0.16	7453N	0.91	-	-	-	8232	6.98	600	2.87	0.20
6826F	23.07	600	6.77	0.18	7502	4.18	600	1.72	0.20	8233	6.17	600	2.57	0.20
6834	6.72	600	2.89	0.22	7515	2.03	483	0.68	0.17	8235	6.49	600	2.94	0.27

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit IV

Effective January 1, 2013

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
8263	17.45	600	7.43	0.22	8868	0.55	321	0.25	0.27					
8264	8.93	600	3.65	0.20	8869	1.54	429	0.71	0.27					
8265	10.33	600	3.91	0.18	8871	0.26	289	0.12	0.27					
8279	9.08	600	3.41	0.18	8901	0.50	315	0.22	0.22					
8288	9.55	600	3.87	0.20	9012	2.14	495	0.93	0.22					
8291	6.41	600	2.76	0.22	9014	4.74	600	2.12	0.27					
8292	5.85	600	2.62	0.27	9015	4.87	600	2.19	0.27					
8293	11.68	600	4.81	0.20	9016	3.92	600	1.74	0.27					
8304	9.41	600	3.85	0.20	9019	2.99	589	1.23	0.20					
8350	8.51	600	3.22	0.18	9033	2.93	582	1.31	0.27					
8380	4.60	600	2.00	0.22	9040	4.91	600	2.28	0.27					
8381	4.64	600	2.00	0.22	9044	2.25	508	1.04	0.27					
8385	3.73	600	1.53	0.20	9052	3.80	600	1.77	0.27					
8392	3.50	600	1.56	0.27	9058	2.72	559	1.30	0.34					
8393	2.56	542	1.15	0.27	9059	-	-	0.71	0.27					
8500	7.16	600	2.93	0.20	9060	1.70	447	0.79	0.27					
8601	0.92	361	0.41	0.22	9061	2.14	495	1.03	0.34					
8602	1.08	379	0.47	0.22	9062	1.85	464	0.89	0.34					
8603	0.29	292	0.13	0.27	9063	1.58	434	0.73	0.27					
8606	5.20	600	1.97	0.18	9077F	4.37	600	1.40	0.25					
8709F	9.05	600	2.36	0.14	9082	2.07	488	0.99	0.34					
8719	9.22	600	3.00	0.17	9083	2.04	484	0.98	0.34					
8720	3.41	600	1.39	0.20	9084	2.02	482	0.90	0.27					
8721	0.55	321	0.22	0.20	9088a	a	a	a	a					
8723	0.30	293	0.13	0.27	9089	1.24	396	0.58	0.27					
8725	2.99	589	1.22	0.20	9093	1.94	473	0.90	0.27					
8726F	5.10	600	1.56	0.18	9101	7.62	600	3.54	0.27					
8734M	0.83	351	0.34	0.20	9102	5.28	600	2.36	0.27					
8737M	0.75	343	0.31	0.20	9110	-	-	1.05	0.27					
8738M	1.60	436	0.61	0.20	9154	2.06	487	0.92	0.27					
8742	0.62	328	0.25	0.20	9156	3.10	600	1.34	0.22					
8745	5.92	600	2.55	0.22	9170	8.27	600	2.74	0.17					
8748	1.35	409	0.58	0.22	9178	8.23	600	3.94	0.34					
8755	0.66	333	0.28	0.20	9179	16.22	600	7.54	0.27					
8799	0.95	365	0.43	0.27	9180	7.12	600	2.89	0.20					
8800	2.68	555	1.29	0.34	9182	2.91	580	1.29	0.27					
8803	0.15	277	0.06	0.20	9186	20.21	600	7.56	0.18					
8805M	0.40	304	0.18	0.27	9220	6.09	600	2.62	0.22					
8810	0.30	293	0.13	0.27	9402	5.88	600	2.42	0.20					
8814M	0.37	301	0.16	0.27	9403	11.24	600	4.26	0.18					
8815M	0.77	345	0.32	0.27	9410	3.71	600	1.67	0.27					
8820	0.39	303	0.17	0.22	9501	5.38	600	2.33	0.22					
8824	4.99	600	2.32	0.27	9505	5.62	600	2.44	0.22					
8825	2.39	523	1.15	0.34	9516	10.57	600	4.35	0.20					
8826	4.14	600	1.85	0.27	9519	5.86	600	2.40	0.20					
8829	3.80	600	1.70	0.27	9521	5.34	600	2.19	0.20					
8831	1.92	471	0.85	0.27	9522	4.41	600	1.98	0.27					
8832	0.46	311	0.21	0.27	9534	9.56	600	3.66	0.19					
8833	1.43	417	0.65	0.27	9554	14.86	600	5.66	0.18					
8835	4.00	600	1.79	0.27	9586	0.72	339	0.35	0.34					
8842	2.95	585	1.31	0.27	9600	3.22	600	1.50	0.27					
8855	0.30	293	0.13	0.27	9620	1.10	381	0.47	0.22					
8856	0.30	293	0.13	0.27										
8861	-	-	-	1.05	0.27									
8864	2.36	520	1.05	0.27										

* Refer to the Footnotes Page for additional information on this class code.

Effective January 1, 2013

FOOTNOTES

- a Rate for each individual risk must be obtained from NCCI Customer Service or the Rating Organization having jurisdiction.
- A Minimum Premium \$100 per ginning location for policy minimum premium computation.
- D Rate for classification already includes the specific disease loading shown in the table below. See **Basic Manual** Rule 3-A-7.

Disease			Disease			Disease		
Code No.	Loading	Symbol	Code No.	Loading	Symbol	Code No.	Loading	Symbol
0059D	0.60	S	1710D	0.08	S	3175D	0.07	S
0065D	0.13	S	1741D	0.66	S	4024D	0.05	S
0066D	0.13	S	1803D	0.39	S	5508D	0.13	S
0067D	0.13	S	1852D	0.54	Asb	6251D	0.08	S
1164D	0.13	S	3081D	0.11	S	6252D	0.08	S
1165D	0.09	S	3082D	0.11	S	6260D	0.10	S
1624D	0.07	S	3085D	0.17	S			

Asb=Asbestos, S=Silica

- F Rate provides for coverage under the United States Longshore and Harbor Workers Compensation Act and its extensions. Rate includes a provision for USL&HW Assessment.
- M Risks are subject to Admiralty Law or Federal Employers Liability Act (FELA). However, the published rate is for risks that voluntarily purchase standard workers compensation and employers liability coverage. A provision for the USL&HW Assessment is included for those classifications under Program II USL Act.
- N This code is part of a ratable / non-ratable group shown below. The statistical non-ratable code and corresponding rate are applied in addition to the basic classification when determining premium.

Class Code	Non-Ratable Element Code
4771	0771
7405	7445
7431	7453

- P Classification is computed on a per capita basis.
- X Refer to special classification phraseology in these pages which is applicable in this state.

*** Class Codes with Specific Footnotes**

- 1005 Rate includes a non-ratable disease element of \$3.57. (For coverage written separately for federal benefits only, \$1.53. For coverage written separately for state benefits only, \$2.04).
- 1016 Rate includes a non-ratable disease element of \$10.19. (For coverage written separately for federal benefits only, \$4.61. For coverage written separately for state benefits only, \$5.58.)
- 6702 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection code rate and elr each x 1.215.
- 6703 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate x 2.588 and elr x 2.452.
- 6704 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate and elr each x 1.35.

Effective January 1, 2013

MISCELLANEOUS VALUES

Basis of premium applicable in accordance with **Basic Manual** footnote instructions for Code 7370 -- "Taxicab Co.":

Employee operated vehicle.....	\$58,400.00
Leased or rented vehicle.....	\$38,900.00

Catastrophe (other than Certified Acts of Terrorism) - (Voluntary) 0.01

Expense Constant applicable in accordance with **Basic Manual** Rule 3-A-11..... \$260.00

Maximum Payroll applicable in accordance with **Basic Manual** Rule 2-E -- "Executive Officers" including members of limited liability companies, Rule 2-E-3 for Partners and Sole Proprietors, and **Basic Manual** footnote instructions for Code 9178 -- "Athletic Sports or Park: Non-Contact Sports", and Code 9179 -- "Athletic Sports or Park: Contact Sports" \$3,000.00

Minimum Payroll applicable in accordance with **Basic Manual** Rule 2-E -- "Executive Officers" and members of limited liability companies and Rule 2-E-3 for Partners and Sole Proprietors \$350.00

Per Passenger Seat Surcharge - In accordance with **Basic Manual** footnote instructions for Code 7421, the surcharge is

Maximum surcharge per aircraft.....	\$1,000.00
Per passenger seat.....	\$100.00

Premium Discount Percentages - (See **Basic Manual** Rule 3-A-19-a.) The following premium discounts are applicable to Standard Premiums:

		Type A	Type B
First	\$10,000	-	-
Next	190,000	9.1%	5.1%
Next	1,550,000	11.3%	6.5%
Over	1,750,000	12.3%	7.5%

Terrorism (Voluntary) 0.02

United States Longshore and Harbor Workers' Compensation Coverage Percentage applicable only in connection with **Basic Manual** Rule 3-A-4..... 100%

(Multiply a Non-F classification rate by a factor of 2 to adjust for differences in benefits and loss-based expenses. This factor is the product of the adjustment for differences in benefits (1.89) and the adjustment for differences in loss-based expenses (1.058).).

Experience Rating Eligibility

A risk is eligible for intrastate experience rating when the payrolls or other exposures developed in the last year or last two years of the experience period produced a premium of at least \$7,500. If more than two years, an average annual premium of at least \$3,750 is required. Page A-1 of the **Experience Rating Plan Manual** should be referenced for the latest approved eligibility amounts by state.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit V

Effective January 1, 2013

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
0005	5.86	500	2.09	0.27	2002	4.18	600	1.55	0.27	2688	6.95	600	2.56	0.27
0008	3.86	500	1.33	0.22	2003	7.95	600	2.87	0.27	2701	17.15	600	5.66	0.20
0016	9.36	350	3.07	0.20	2014	10.15	600	3.33	0.20	2702	32.10	600	8.56	0.17
0034	10.38	500	3.73	0.27	2016	5.69	600	2.15	0.28	2709	21.79	600	7.20	0.20
0035	5.65	500	2.12	0.28	2021	6.08	600	2.11	0.22	2710	12.40	600	3.74	0.18
0036	6.00	350	2.16	0.27	2039	7.06	600	2.67	0.28	2714	8.71	600	3.23	0.27
0037	7.20	350	2.48	0.22	2041	7.24	600	2.69	0.27	2731	5.59	600	1.83	0.20
0042	13.03	500	4.50	0.22	2065	7.69	600	2.77	0.27	2735	13.26	600	4.88	0.27
0050	16.31	600	5.85	0.27	2070	9.48	600	3.41	0.27	2759	10.85	600	4.02	0.27
0059D	0.75	-	0.10	0.17	2081	9.90	600	3.52	0.27	2790	2.64	550	0.98	0.27
0065D	0.16	-	0.03	0.20	2089	6.74	600	2.42	0.27	2797	9.43	600	3.26	0.22
0066D	0.16	-	0.03	0.20	2095	6.28	600	2.24	0.27	2799	5.75	600	2.00	0.22
0067D	0.16	-	0.03	0.20	2105	5.50	600	2.04	0.27	2802	9.43	600	3.26	0.22
0079	7.74	500	2.54	0.20	2110	4.65	600	1.73	0.27	2812	-	-	2.17	0.27
0083	10.43	350	3.74	0.27	2111	3.39	600	1.26	0.27	2835	5.34	600	2.07	0.34
0106	17.24	600	5.22	0.18	2112	4.86	600	1.82	0.27	2836	4.94	600	1.90	0.34
0113	6.45	600	2.30	0.27	2114	3.69	600	1.37	0.27	2841	9.10	600	3.37	0.27
0170	6.89	600	2.46	0.27	2121	3.13	600	1.13	0.27	2881	5.04	600	1.95	0.34
0251	5.80	600	2.09	0.27	2130	4.80	600	1.73	0.27	2883	6.08	600	2.17	0.27
0400	12.08	600	4.21	0.22	2131	5.40	600	1.95	0.27	2913	10.29	600	3.97	0.34
0401	14.19	A	4.29	0.18	2143	3.96	600	1.48	0.27	2915	6.33	600	2.19	0.22
0771N	0.95	-	-	-	2156	-	-	2.68	0.27	2916	6.05	600	1.83	0.18
0908P	316.00	576	113.86	0.27	2157	7.45	600	2.68	0.27	2923	3.83	600	1.43	0.27
0909	-	-	113.86	0.27	2172	3.80	600	1.33	0.22	2942	4.90	600	1.91	0.34
0912	-	-	281.24	0.27	2174	5.70	600	2.14	0.27	2960	8.13	600	2.92	0.27
0913P	781.00	600	281.24	0.27	2211	12.94	600	4.21	0.20	3004	3.16	600	1.05	0.20
0917	7.79	600	2.90	0.27	2220	4.34	600	1.56	0.27	3018	4.49	600	1.49	0.20
1005*	15.21	600	2.88	0.17	2286	3.65	600	1.35	0.27	3022	6.50	600	2.42	0.27
1016X*	38.03	600	6.51	0.17	2288	5.69	600	2.13	0.27	3027	7.15	600	2.36	0.20
1164D	9.55	600	2.49	0.17	2300	4.00	600	1.55	0.34	3028	4.71	600	1.70	0.27
1165D	7.80	600	2.34	0.18	2302	3.54	600	1.27	0.27	3030	9.58	600	3.13	0.20
1320	5.04	600	1.53	0.18	2305	4.26	600	1.48	0.22	3040	8.55	600	2.80	0.20
1322	15.00	600	4.57	0.18	2361	3.34	600	1.19	0.27	3041	7.91	600	2.85	0.27
1430	12.63	600	4.13	0.20	2362	2.71	558	0.97	0.27	3042	9.28	600	3.25	0.22
1438	7.58	600	2.29	0.18	2380	4.23	600	1.51	0.27	3064	7.10	600	2.55	0.27
1452	3.70	600	1.22	0.20	2386	3.34	600	1.25	0.27	3066	-	-	2.17	0.27
1463	36.81	600	11.18	0.18	2388	3.54	600	1.32	0.27	3069	8.01	600	2.63	0.20
1472	7.61	600	2.29	0.18	2402	5.18	600	1.70	0.20	3076	5.83	600	2.17	0.27
1624D	8.13	600	2.43	0.18	2413	3.79	600	1.36	0.27	3081D	7.94	600	2.57	0.20
1642	7.99	600	2.64	0.20	2416	3.26	600	1.17	0.27	3082D	10.67	600	3.45	0.20
1654	10.58	600	3.47	0.20	2417	4.26	600	1.54	0.27	3085D	13.77	600	4.45	0.20
1655	9.60	600	3.20	0.20	2501	5.78	600	2.07	0.27	3110	8.53	600	3.08	0.27
1699	6.78	600	2.24	0.20	2503	2.31	514	0.86	0.27	3111	4.90	600	1.76	0.27
1701	5.60	600	1.85	0.20	2534	4.69	600	1.73	0.27	3113	6.03	600	2.16	0.27
1710D	7.45	600	2.43	0.20	2570	6.63	600	2.48	0.27	3114	5.48	600	1.98	0.27
1741D	6.62	600	1.53	0.17	2585	7.30	600	2.71	0.27	3118	3.01	591	1.12	0.27
1747	3.50	600	1.16	0.20	2586	5.50	600	1.98	0.27	3119	2.29	512	0.89	0.34
1748	6.96	600	2.27	0.20	2587	7.54	600	2.81	0.27	3122	3.69	600	1.36	0.27
1803D	12.73	600	3.70	0.18	2589	4.26	600	1.53	0.27	3126	7.04	600	2.55	0.27
1852D	5.84	600	1.36	0.17	2600	3.84	600	1.44	0.27	3131	3.75	600	1.34	0.27
1853	4.71	600	1.66	0.22	2623	9.25	600	3.20	0.22	3132	5.64	600	2.02	0.27
1860	3.09	600	1.15	0.27	2651	4.61	600	1.71	0.27	3145	4.35	600	1.56	0.27
1924	5.16	600	1.93	0.27	2660	4.48	600	1.66	0.27	3146	4.51	600	1.62	0.27
1925	11.44	600	3.94	0.22	2670	3.73	600	1.44	0.34	3169	6.39	600	2.29	0.27
2001	-	-	2.87	0.27	2683	4.71	600	1.74	0.27	3175D	6.33	600	2.24	0.27

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit V

IOWA

Page S2

Effective January 1, 2013

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
3179	5.13	600	1.90	0.27	3851	6.20	600	2.31	0.27	4511	1.11	382	0.38	0.22
3180	4.48	600	1.66	0.27	3865	3.49	600	1.36	0.34	4557	3.26	600	1.21	0.27
3188	3.54	600	1.32	0.27	3881	9.66	600	3.50	0.27	4558	6.73	600	2.39	0.27
3220	3.35	600	1.21	0.27	4000	15.78	600	4.73	0.18	4561	-	-	1.18	0.22
3223	6.35	600	2.43	0.34	4021	10.80	600	3.57	0.20	4568	5.74	600	1.90	0.20
3224	6.48	600	2.43	0.27	4024D	8.70	600	2.85	0.20	4581	2.96	586	0.89	0.18
3227	6.81	600	2.53	0.27	4034	13.74	600	4.53	0.20	4583	6.28	600	1.89	0.18
3240	3.74	600	1.39	0.27	4036	5.14	600	1.70	0.20	4611	2.59	545	0.96	0.27
3241	6.05	600	2.17	0.27	4038	7.20	600	2.77	0.34	4635	5.46	600	1.44	0.17
3255	2.98	588	1.15	0.34	4053	5.34	600	1.91	0.27	4653	3.20	600	1.20	0.27
3257	6.29	600	2.25	0.27	4061	9.59	600	3.58	0.27	4665	16.31	600	5.37	0.20
3270	4.53	600	1.63	0.27	4062	2.76	564	0.99	0.27	4670	9.40	600	3.11	0.20
3300	8.95	600	3.22	0.27	4101	5.78	600	2.00	0.22	4683	5.20	600	1.87	0.27
3303	4.74	600	1.77	0.27	4109	1.79	457	0.66	0.27	4686	5.14	600	1.69	0.20
3307	4.71	600	1.69	0.27	4110	2.44	528	0.89	0.27	4692	1.55	431	0.58	0.27
3315	9.90	600	3.67	0.27	4111	4.04	600	1.51	0.27	4693	3.53	600	1.28	0.27
3334	7.34	600	2.67	0.27	4112	-	-	0.89	0.27	4703	7.49	600	2.70	0.27
3336	6.35	600	2.09	0.20	4113	3.00	590	1.08	0.27	4717	3.10	600	1.20	0.34
3365	13.74	600	4.51	0.20	4114	4.75	600	1.71	0.27	4720	5.18	600	1.85	0.27
3372	5.34	600	1.85	0.22	4130	6.04	600	2.17	0.27	4740	4.31	600	1.43	0.20
3373	10.59	600	3.80	0.27	4131	7.79	600	2.88	0.27	4741	4.41	600	1.60	0.27
3383	2.11	492	0.79	0.27	4133	5.60	600	2.06	0.27	4751	5.81	600	1.88	0.20
3385	1.60	436	0.60	0.27	4149	1.75	453	0.67	0.34	4771N	5.40	600	1.44	0.17
3400	5.51	600	1.91	0.22	4150	-	-	0.67	0.34	4777	8.64	600	2.30	0.17
3507	8.26	600	2.97	0.27	4206	7.65	600	2.75	0.27	4825	3.99	600	1.31	0.20
3515	4.19	600	1.51	0.27	4207	4.04	600	1.32	0.20	4828	2.96	586	1.03	0.22
3548	3.73	600	1.34	0.27	4239	4.90	600	1.61	0.20	4829	2.05	486	0.62	0.18
3559	6.68	600	2.38	0.27	4240	6.33	600	2.34	0.27	4902	5.39	600	2.00	0.27
3574	2.78	566	1.03	0.27	4243	4.19	600	1.50	0.27	4923	2.46	531	0.88	0.27
3581	2.93	582	1.09	0.27	4244	4.41	600	1.59	0.27	5020	9.06	600	3.00	0.20
3612	5.59	600	1.94	0.22	4250	5.34	600	1.92	0.27	5022	13.78	600	4.19	0.18
3620	7.91	600	2.60	0.20	4251	4.90	600	1.76	0.27	5037	84.44	600	22.68	0.17
3629	3.53	600	1.31	0.27	4263	5.66	600	2.02	0.27	5040	50.84	600	13.61	0.17
3632	7.23	600	2.50	0.22	4273	4.75	600	1.70	0.27	5057	13.78	600	3.68	0.17
3634	3.30	600	1.23	0.27	4279	3.61	600	1.30	0.27	5059	50.96	600	13.47	0.17
3635	6.78	600	2.44	0.27	4282	4.80	600	1.82	0.28	5069	60.63	600	16.34	0.17
3638	7.28	600	2.72	0.27	4283	5.43	600	1.95	0.27	5102	8.81	600	2.68	0.18
3642	3.45	600	1.24	0.27	4299	4.06	600	1.52	0.27	5146	9.73	600	3.21	0.20
3643	3.56	600	1.28	0.27	4304	8.09	600	2.79	0.22	5160	5.91	600	1.80	0.18
3647	4.35	600	1.51	0.22	4307	3.23	600	1.24	0.34	5183	7.51	600	2.49	0.20
3648	2.55	541	0.95	0.27	4351	1.49	424	0.54	0.27	5188	7.46	600	2.47	0.20
3681	2.51	536	0.93	0.27	4352	2.40	524	0.89	0.27	5190	5.01	600	1.66	0.20
3685	3.61	600	1.35	0.27	4360	1.99	479	0.75	0.27	5191	2.71	558	0.97	0.27
3719	2.60	546	0.69	0.17	4361	1.78	456	0.66	0.27	5192	6.55	600	2.34	0.27
3724	8.28	600	2.51	0.18	4362	-	-	0.75	0.27	5213	14.30	600	4.34	0.18
3726	13.66	600	3.69	0.17	4410	5.25	600	1.89	0.27	5215	11.59	600	4.04	0.22
3803	9.08	600	3.27	0.27	4420	7.15	600	2.19	0.18	5221	10.75	600	3.54	0.20
3807	4.34	600	1.61	0.27	4431	3.10	600	1.20	0.34	5222	21.43	600	6.49	0.18
3808	4.95	600	1.73	0.22	4432	3.84	600	1.49	0.34	5223	10.70	600	3.53	0.20
3821	11.80	600	4.07	0.22	4439	3.40	600	1.18	0.22	5348	9.03	600	3.00	0.20
3822	9.18	600	3.19	0.22	4452	6.23	600	2.22	0.27	5402	5.84	600	2.18	0.27
3824	10.54	600	3.65	0.22	4459	3.59	600	1.29	0.27	5403	18.50	600	5.60	0.18
3826	1.85	464	0.67	0.27	4470	4.61	600	1.66	0.27	5437	10.93	600	3.64	0.20
3827	3.91	600	1.35	0.22	4484	4.88	600	1.75	0.27	5443	6.24	600	2.24	0.27
3830	2.24	506	0.78	0.22	4493	4.78	600	1.72	0.27	5445	11.18	600	3.40	0.18

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit V

Effective January 1, 2013

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
5462	15.18	600	4.99	0.20	6836	11.68	600	3.88	0.20	7520	6.14	600	2.22	0.27
5472	14.41	600	3.82	0.17	6843F	24.56	600	5.12	0.14	7538	15.29	600	4.10	0.17
5473	13.98	600	3.72	0.17	6845F	20.84	600	4.33	0.14	7539	6.70	600	2.02	0.18
5474	9.75	600	2.95	0.18	6854	8.84	600	2.35	0.17	7540	8.30	600	2.19	0.17
5478	8.00	600	2.65	0.20	6872F	18.41	600	3.83	0.14	7580	3.85	600	1.26	0.20
5479	9.53	600	3.31	0.22	6874F	43.26	600	9.00	0.14	7590	9.54	600	3.33	0.22
5480	20.93	600	6.35	0.18	6882	7.68	600	2.08	0.17	7600	4.71	600	1.55	0.20
5491	5.49	600	1.66	0.18	6884	17.96	600	4.87	0.17	7601	-	-	1.55	0.20
5506	12.44	600	3.31	0.17	7016M	18.35	600	5.01	0.17	7605	3.16	600	1.04	0.20
5507	6.31	600	1.92	0.18	7024M	20.38	600	5.57	0.17	7610	1.10	381	0.38	0.22
5508D	27.39	600	9.02	0.20	7038M	7.30	600	1.93	0.17	7611	-	-	1.55	0.20
5535	10.96	600	3.60	0.20	7046M	20.48	600	5.46	0.17	7612	-	-	1.55	0.20
5537	8.21	600	2.70	0.20	7047M	39.06	600	10.12	0.17	7613	-	-	1.55	0.20
5538	-	-	3.16	0.20	7050M	15.53	600	3.89	0.17	7704	-	-	13.78	0.18
5551	26.98	600	7.13	0.17	7090M	8.10	600	2.14	0.17	7705	9.46	600	3.28	0.22
5606	2.95	585	0.89	0.18	7098M	22.75	600	6.07	0.17	7710	45.69	600	13.78	0.18
5610	8.16	600	2.92	0.27	7099M	43.61	600	11.02	0.17	7711	45.69	600	13.78	0.18
5645	14.89	600	4.48	0.18	7133	8.79	600	2.69	0.18	7720	4.85	600	1.59	0.20
5651	-	-	4.48	0.18	7151M	10.68	600	3.26	0.18	7855	11.73	600	3.87	0.20
5703	24.66	600	8.15	0.20	7152M	22.74	600	6.59	0.18	8001	3.93	600	1.46	0.27
5705	18.73	600	6.07	0.20	7153M	11.88	600	3.63	0.18	8002	3.09	600	1.10	0.27
5951	2.03	483	0.74	0.27	7222	10.29	600	3.41	0.20	8006	4.64	600	1.66	0.27
6003	10.95	600	3.62	0.20	7228	13.10	600	4.34	0.20	8008	2.06	487	0.76	0.27
6005	9.80	600	3.25	0.20	7229	13.48	600	4.10	0.18	8010	3.20	600	1.18	0.27
6017	10.58	600	3.53	0.20	7230	19.28	600	6.65	0.22	8013	0.54	319	0.20	0.27
6018	5.36	600	1.78	0.20	7231	16.76	600	5.85	0.22	8015	1.25	398	0.45	0.27
6045	2.95	585	0.97	0.20	7232	11.21	600	3.43	0.19	8017	2.50	535	0.93	0.27
6204	15.76	600	4.79	0.18	7309F	28.54	600	5.92	0.14	8018	4.34	600	1.61	0.27
6206	7.55	600	2.01	0.17	7313F	6.65	600	1.39	0.14	8021	3.51	600	1.26	0.27
6213	4.13	600	1.26	0.18	7317F	12.71	600	2.64	0.14	8031	3.84	600	1.37	0.27
6214	6.56	600	1.76	0.17	7327F	40.01	600	8.39	0.14	8032	3.84	600	1.43	0.27
6216	12.76	600	3.41	0.17	7333M	18.71	600	5.16	0.17	8033	2.40	524	0.85	0.27
6217	10.60	600	3.22	0.18	7335M	20.80	600	5.74	0.17	8037	2.50	535	0.93	0.27
6229	7.39	600	2.23	0.18	7337M	39.88	600	10.42	0.17	8039	2.43	527	0.90	0.27
6233	8.10	600	2.47	0.18	7350F	16.85	600	3.86	0.16	8044	5.04	600	1.75	0.22
6235	15.88	600	4.25	0.17	7360	11.14	600	3.66	0.20	8045	0.76	344	0.28	0.27
6236	19.55	600	6.46	0.20	7370	8.25	600	2.97	0.27	8046	3.40	600	1.22	0.27
6237	3.08	599	1.02	0.20	7380	7.65	600	2.66	0.22	8047	1.78	456	0.66	0.27
6251D	13.85	600	4.21	0.19	7382	6.73	600	2.41	0.27	8058	4.26	600	1.52	0.27
6252D	11.13	600	2.97	0.17	7390	6.41	600	2.31	0.27	8072	1.11	382	0.41	0.27
6260D	13.73	600	3.68	0.17	7394M	11.23	600	3.03	0.17	8102	3.31	600	1.23	0.27
6306	10.91	600	3.31	0.18	7395M	12.46	600	3.36	0.17	8103	5.13	600	1.78	0.22
6319	5.81	600	1.77	0.18	7398M	23.89	600	6.10	0.17	8105	5.04	600	1.87	0.27
6325	11.43	600	3.47	0.18	7402	0.40	304	0.14	0.27	8106	10.31	600	3.38	0.20
6400	10.54	600	3.67	0.22	7403	7.96	600	2.63	0.20	8107	5.18	600	1.70	0.20
6503	3.84	600	1.44	0.27	7405N	1.78	560	0.58	0.20	8111	4.06	600	1.46	0.27
6504	3.84	600	1.44	0.27	7420	16.81	600	4.57	0.17	8116	4.31	600	1.54	0.27
6702M*	14.24	600	4.70	0.20	7421	2.84	572	0.86	0.18	8203	10.20	600	3.68	0.27
6703M*	30.35	600	9.49	0.20	7422	5.40	600	1.46	0.17	8204	9.94	600	3.30	0.20
6704M*	15.83	600	5.23	0.20	7425	5.64	600	1.53	0.17	8209	8.73	600	3.14	0.27
6801F	9.78	600	2.36	0.18	7431N	2.10	600	0.57	0.17	8215	5.36	600	1.76	0.20
6811	9.25	600	3.06	0.20	7445N	0.95	-	-	-	8227	10.44	600	2.78	0.17
6824F	16.60	600	3.84	0.16	7453N	1.14	-	-	-	8232	8.73	600	2.87	0.20
6826F	28.84	600	6.77	0.18	7502	5.23	600	1.72	0.20	8233	7.71	600	2.57	0.20
6834	8.40	600	2.89	0.22	7515	2.54	539	0.68	0.17	8235	8.11	600	2.94	0.27

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit V

IOWA

Page S4

Effective January 1, 2013

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
8263	21.81	600	7.43	0.22	8868	0.69	336	0.25	0.27					
8264	11.16	600	3.65	0.20	8869	1.93	472	0.71	0.27					
8265	12.91	600	3.91	0.18	8871	0.33	296	0.12	0.27					
8279	11.35	600	3.41	0.18	8901	0.63	329	0.22	0.22					
8288	11.94	600	3.87	0.20	9012	2.68	555	0.93	0.22					
8291	8.01	600	2.76	0.22	9014	5.93	600	2.12	0.27					
8292	7.31	600	2.62	0.27	9015	6.09	600	2.19	0.27					
8293	14.60	600	4.81	0.20	9016	4.90	600	1.74	0.27					
8304	11.76	600	3.85	0.20	9019	3.74	600	1.23	0.20					
8350	10.64	600	3.22	0.18	9033	3.66	600	1.31	0.27					
8380	5.75	600	2.00	0.22	9040	6.14	600	2.28	0.27					
8381	5.80	600	2.00	0.22	9044	2.81	569	1.04	0.27					
8385	4.66	600	1.53	0.20	9052	4.75	600	1.77	0.27					
8392	4.38	600	1.56	0.27	9058	3.40	600	1.30	0.34					
8393	3.20	600	1.15	0.27	9059	-	-	0.71	0.27					
8500	8.95	600	2.93	0.20	9060	2.13	494	0.79	0.27					
8601	1.15	387	0.41	0.22	9061	2.68	555	1.03	0.34					
8602	1.35	409	0.47	0.22	9062	2.31	514	0.89	0.34					
8603	0.36	300	0.13	0.27	9063	1.98	478	0.73	0.27					
8606	6.50	600	1.97	0.18	9077F	5.46	600	1.40	0.25					
8709F	11.31	600	2.36	0.14	9082	2.59	545	0.99	0.34					
8719	11.53	600	3.00	0.17	9083	2.55	541	0.98	0.34					
8720	4.26	600	1.39	0.20	9084	2.53	538	0.90	0.27					
8721	0.69	336	0.22	0.20	9088a	a	a	a	a					
8723	0.38	302	0.13	0.27	9089	1.55	431	0.58	0.27					
8725	3.74	600	1.22	0.20	9093	2.43	527	0.90	0.27					
8726F	6.38	600	1.56	0.18	9101	9.53	600	3.54	0.27					
8734M	1.04	374	0.34	0.20	9102	6.60	600	2.36	0.27					
8737M	0.94	363	0.31	0.20	9110	-	-	1.05	0.27					
8738M	2.00	480	0.61	0.20	9154	2.58	544	0.92	0.27					
8742	0.78	346	0.25	0.20	9156	3.88	600	1.34	0.22					
8745	7.40	600	2.55	0.22	9170	10.34	600	2.74	0.17					
8748	1.69	446	0.58	0.22	9178	10.29	600	3.94	0.34					
8755	0.83	351	0.28	0.20	9179	20.28	600	7.54	0.27					
8799	1.19	391	0.43	0.27	9180	8.90	600	2.89	0.20					
8800	3.35	600	1.29	0.34	9182	3.64	600	1.29	0.27					
8803	0.19	281	0.06	0.20	9186	25.26	600	7.56	0.18					
8805M	0.50	315	0.18	0.27	9220	7.61	600	2.62	0.22					
8810	0.38	302	0.13	0.27	9402	7.35	600	2.42	0.20					
8814M	0.46	311	0.16	0.27	9403	14.05	600	4.26	0.18					
8815M	0.96	366	0.32	0.27	9410	4.64	600	1.67	0.27					
8820	0.49	314	0.17	0.22	9501	6.73	600	2.33	0.22					
8824	6.24	600	2.32	0.27	9505	7.03	600	2.44	0.22					
8825	2.99	589	1.15	0.34	9516	13.21	600	4.35	0.20					
8826	5.18	600	1.85	0.27	9519	7.33	600	2.40	0.20					
8829	4.75	600	1.70	0.27	9521	6.68	600	2.19	0.20					
8831	2.40	524	0.85	0.27	9522	5.51	600	1.98	0.27					
8832	0.58	324	0.21	0.27	9534	11.95	600	3.66	0.19					
8833	1.79	457	0.65	0.27	9554	18.58	600	5.66	0.18					
8835	5.00	600	1.79	0.27	9586	0.90	359	0.35	0.34					
8842	3.69	600	1.31	0.27	9600	4.03	600	1.50	0.27					
8855	0.38	302	0.13	0.27	9620	1.38	412	0.47	0.22					
8856	0.38	302	0.13	0.27										
8861	-	-	1.05	0.27										
8864	2.95	585	1.05	0.27										

* Refer to the Footnotes Page for additional information on this class code.

Effective January 1, 2013
APPLICABLE TO ASSIGNED RISK POLICIES ONLY

FOOTNOTES

- a Rate for each individual risk must be obtained by NCCI Customer Service or the Rating Organization having jurisdiction.
- A Minimum Premium \$100 per ginning location for policy minimum premium computation.
- D Rate for classification already includes the specific disease loading shown in the table below. See **Basic Manual** Rule 3-A-7.

Disease			Disease			Disease		
Code No.	Loading	Symbol	Code No.	Loading	Symbol	Code No.	Loading	Symbol
0059D	0.75	S	1710D	0.10	S	3175D	0.09	S
0065D	0.16	S	1741D	0.83	S	4024D	0.06	S
0066D	0.16	S	1803D	0.49	S	5508D	0.16	S
0067D	0.16	S	1852D	0.68	Asb	6251D	0.10	S
1164D	0.16	S	3081D	0.14	S	6252D	0.10	S
1165D	0.11	S	3082D	0.14	S	6260D	0.13	S
1624D	0.09	S	3085D	0.21	S			

Asb=Asbestos, S=Silica

- F Rate provides for coverage under the United States Longshore and Harbor Workers Compensation Act and its extensions. Rate includes a provision for USL&HW Assessment.
- M Risks are subject to Admiralty Law or Federal Employers Liability Act (FELA). However, the published rate is for risks that voluntarily purchase standard workers compensation and employers liability coverage. A provision for the USL&HW Assessment is included for those classifications under Program II USL Act. For the residual market, coverage under the Federal Employers' Liability Act (FELA) for employees of interstate railroads is not available for codes 6702, 6703, 6704, 7151, 7152, 7153, 8734, 8737, 8738, 8805, 8814, and 8815.
- N This code is part of a ratable / non-ratable group shown below. The statistical non-ratable code and corresponding rate are applied in addition to the basic classification when determining premium.

Class Code	Non-Ratable Element Code
4771	0771
7405	7445
7431	7453

- P Classification is computed on a per capita basis.
- X Refer to special classification phraseology in these pages which is applicable in this state.

*** Class Codes with Specific Footnotes**

- 1005 Rate includes a non-ratable disease element of \$4.46. (For coverage written separately for federal benefits only, \$1.91. For coverage written separately for state benefits only, \$2.55.)
- 1016 Rate includes a non-ratable disease element of \$12.74. (For coverage written separately for federal benefits only, \$5.76. For coverage written separately for state benefits only, \$6.98.)
- 6702 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection code rate and elr each x 1.215.
- 6703 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate x 2.588 and elr x 2.452.
- 6704 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate and elr each x 1.35.

Effective January 1, 2013

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

MISCELLANEOUS VALUES

Basis of premium applicable in accordance with **Basic Manual** footnote instructions for Code 7370 -- "Taxicab Co.":

Employee operated vehicle.....	\$58,400.00
Leased or rented vehicle.....	\$38,900.00

Catastrophe (other than Certified Acts of Terrorism) - (Assigned Risk)..... 0.01

Expense Constant applicable in accordance with **Basic Manual** Rule 3-A-11..... \$260.00

Maximum Payroll applicable in accordance with **Basic Manual** Rule 2-E -- "Executive Officers" including members of limited liability companies, Rule 2-E-3 for Partners and Sole Proprietors, and **Basic Manual** footnote instructions for Code 9178 -- "Athletic Sports or Park: Non-Contact Sports", and Code 9179 -- "Athletic Sports or Park: Contact Sports" \$3,000.00

Minimum Payroll applicable in accordance with **Basic Manual** Rule 2-E -- "Executive Officers" and members of limited liability companies and Rule 2-E-3 for Partners and Sole Proprietors \$350.00

Per Passenger Seat Surcharge - In accordance with Basic Manual footnote instructions for Code 7421, the surcharge is:

Maximum surcharge per aircraft.....	\$1,000.00
Per passenger seat.....	\$100.00

Terrorism - (Assigned Risk)..... 0.02

United States Longshore and Harbor Workers' Compensation Coverage Percentage applicable only in connection with **Basic Manual** Rule 3-A-4..... 100%

(Multiply a Non-F classification rate by a factor of 2.00 to adjust for differences in benefits and loss-based expenses. This factor is the product of the adjustment for differences in benefits 1.89 and the adjustment for differences in loss-based expenses (1.058).)

Experience Rating Eligibility

A risk is eligible for intrastate experience rating when the payrolls or other exposures developed in the last year or last two years of the experience period produced a premium of at least \$7,500. If more than two years, an average annual premium of at least \$3,750 is required. Page A-1 of the **Experience Rating Plan Manual** should be referenced for the latest approved eligibility amounts by state.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit IV

Effective July 1, 2013

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
0005	4.87	500	2.09	0.27	2002	3.47	600	1.55	0.27	2688	5.77	600	2.56	0.27
0008	3.21	500	1.33	0.22	2003	6.60	600	2.87	0.27	2701	14.25	600	5.66	0.20
0016	7.78	350	3.07	0.20	2014	8.43	600	3.33	0.20	2702	26.67	600	8.56	0.17
0034	8.62	500	3.73	0.27	2016	4.73	600	2.15	0.28	2709	18.10	600	7.20	0.20
0035	4.69	500	2.12	0.28	2021	5.05	600	2.11	0.22	2710	10.30	600	3.74	0.18
0036	4.98	350	2.16	0.27	2039	5.87	600	2.67	0.28	2714	7.24	600	3.23	0.27
0037	5.98	350	2.48	0.22	2041	6.01	600	2.69	0.27	2731	4.64	600	1.83	0.20
0042	10.82	500	4.50	0.22	2065	6.39	600	2.77	0.27	2735	11.02	600	4.88	0.27
0050	13.55	600	5.85	0.27	2070	7.87	600	3.41	0.27	2759	9.01	600	4.02	0.27
0059D	0.62	-	0.10	0.17	2081	8.22	600	3.52	0.27	2790	2.19	501	0.98	0.27
0065D	0.14	-	0.03	0.20	2089	5.60	600	2.42	0.27	2797	7.83	600	3.26	0.22
0066D	0.14	-	0.03	0.20	2095	5.21	600	2.24	0.27	2799	4.78	600	2.00	0.22
0067D	0.14	-	0.03	0.20	2105	4.57	600	2.04	0.27	2802	7.83	600	3.26	0.22
0079	6.43	500	2.54	0.20	2110	3.86	600	1.73	0.27	2812	-	-	2.17	0.27
0083	8.66	350	3.74	0.27	2111	2.81	569	1.26	0.27	2835	4.43	600	2.07	0.34
0106	14.32	600	5.22	0.18	2112	4.04	600	1.82	0.27	2836	4.10	600	1.90	0.34
0113	5.36	600	2.30	0.27	2114	3.06	597	1.37	0.27	2841	7.56	600	3.37	0.27
0170	5.72	600	2.46	0.27	2121	2.60	546	1.13	0.27	2881	4.18	600	1.95	0.34
0251	4.82	600	2.09	0.27	2130	3.99	600	1.73	0.27	2883	5.05	600	2.17	0.27
0400	10.03	600	4.21	0.22	2131	4.49	600	1.95	0.27	2913	8.55	600	3.97	0.34
0401	11.79	A	4.29	0.18	2143	3.29	600	1.48	0.27	2915	5.25	600	2.19	0.22
0771N	0.79	-	-	-	2156	-	-	2.68	0.27	2916	5.03	600	1.83	0.18
0908P	263.00	523	113.86	0.27	2157	6.19	600	2.68	0.27	2923	3.18	600	1.43	0.27
0909	-	-	113.86	0.27	2172	3.16	600	1.33	0.22	2942	4.07	600	1.91	0.34
0912	-	-	281.24	0.27	2174	4.74	600	2.14	0.27	2960	6.75	600	2.92	0.27
0913P	649.00	600	281.24	0.27	2211	10.75	600	4.21	0.20	3004	2.63	549	1.05	0.20
0917	6.47	600	2.90	0.27	2220	3.60	600	1.56	0.27	3018	3.73	600	1.49	0.20
1005*	12.50	600	2.88	0.17	2286	3.03	593	1.35	0.27	3022	5.40	600	2.42	0.27
1016X*	30.42	600	6.51	0.17	2288	4.73	600	2.13	0.27	3027	5.94	600	2.36	0.20
1164D	7.93	600	2.49	0.17	2300	3.32	600	1.55	0.34	3028	3.92	600	1.70	0.27
1165D	6.48	600	2.34	0.18	2302	2.94	583	1.27	0.27	3030	7.95	600	3.13	0.20
1320	4.18	600	1.53	0.18	2305	3.54	600	1.48	0.22	3040	7.10	600	2.80	0.20
1322	12.46	600	4.57	0.18	2361	2.77	565	1.19	0.27	3041	6.57	600	2.85	0.27
1430	10.49	600	4.13	0.20	2362	2.25	508	0.97	0.27	3042	7.70	600	3.25	0.22
1438	6.29	600	2.29	0.18	2380	3.51	600	1.51	0.27	3064	5.90	600	2.55	0.27
1452	3.07	598	1.22	0.20	2386	2.77	565	1.25	0.27	3066	-	-	2.17	0.27
1463	30.58	600	11.18	0.18	2388	2.94	583	1.32	0.27	3069	6.66	600	2.63	0.20
1472	6.32	600	2.29	0.18	2402	4.30	600	1.70	0.20	3076	4.84	600	2.17	0.27
1624D	6.75	600	2.43	0.18	2413	3.15	600	1.36	0.27	3081D	6.59	600	2.57	0.20
1642	6.64	600	2.64	0.20	2416	2.71	558	1.17	0.27	3082D	8.85	600	3.45	0.20
1654	8.78	600	3.47	0.20	2417	3.54	600	1.54	0.27	3085D	11.45	600	4.45	0.20
1655	7.97	600	3.20	0.20	2501	4.80	600	2.07	0.27	3110	7.08	600	3.08	0.27
1699	5.63	600	2.24	0.20	2503	1.92	471	0.86	0.27	3111	4.07	600	1.76	0.27
1701	4.65	600	1.85	0.20	2534	3.89	600	1.73	0.27	3113	5.00	600	2.16	0.27
1710D	6.19	600	2.43	0.20	2570	5.50	600	2.48	0.27	3114	4.55	600	1.98	0.27
1741D	5.50	600	1.53	0.17	2585	6.06	600	2.71	0.27	3118	2.50	535	1.12	0.27
1747	2.91	580	1.16	0.20	2586	4.57	600	1.98	0.27	3119	1.90	469	0.89	0.34
1748	5.78	600	2.27	0.20	2587	6.26	600	2.81	0.27	3122	3.06	597	1.36	0.27
1803D	10.58	600	3.70	0.18	2589	3.54	600	1.53	0.27	3126	5.85	600	2.55	0.27
1852D	4.85	600	1.36	0.17	2600	3.19	600	1.44	0.27	3131	3.12	600	1.34	0.27
1853	3.92	600	1.66	0.22	2623	7.68	600	3.20	0.22	3132	4.68	600	2.02	0.27
1860	2.56	542	1.15	0.27	2651	3.83	600	1.71	0.27	3145	3.61	600	1.56	0.27
1924	4.29	600	1.93	0.27	2660	3.72	600	1.66	0.27	3146	3.75	600	1.62	0.27
1925	9.50	600	3.94	0.22	2670	3.09	600	1.44	0.34	3169	5.31	600	2.29	0.27
2001	-	-	2.87	0.27	2683	3.91	600	1.74	0.27	3175D	5.25	600	2.24	0.27

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit IV

Effective July 1, 2013

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
3179	4.26	600	1.90	0.27	3851	5.15	600	2.31	0.27	4511	0.92	361	0.38	0.22
3180	3.72	600	1.66	0.27	3865	2.90	579	1.36	0.34	4557	2.71	558	1.21	0.27
3188	2.94	583	1.32	0.27	3881	8.03	600	3.50	0.27	4558	5.59	600	2.39	0.27
3220	2.78	566	1.21	0.27	4000	13.11	600	4.73	0.18	4561	-	-	1.18	0.22
3223	5.27	600	2.43	0.34	4021	8.97	600	3.57	0.20	4568	4.77	600	1.90	0.20
3224	5.38	600	2.43	0.27	4024D	7.23	600	2.85	0.20	4581	2.46	531	0.89	0.18
3227	5.66	600	2.53	0.27	4034	11.41	600	4.53	0.20	4583	5.21	600	1.89	0.18
3240	3.10	600	1.39	0.27	4036	4.27	600	1.70	0.20	4611	2.15	497	0.96	0.27
3241	5.03	600	2.17	0.27	4038	5.98	600	2.77	0.34	4635	4.54	600	1.44	0.17
3255	2.47	532	1.15	0.34	4053	4.43	600	1.91	0.27	4653	2.66	553	1.20	0.27
3257	5.22	600	2.25	0.27	4061	7.96	600	3.58	0.27	4665	13.55	600	5.37	0.20
3270	3.76	600	1.63	0.27	4062	2.30	513	0.99	0.27	4670	7.81	600	3.11	0.20
3300	7.43	600	3.22	0.27	4101	4.80	600	2.00	0.22	4683	4.32	600	1.87	0.27
3303	3.94	600	1.77	0.27	4109	1.48	423	0.66	0.27	4686	4.27	600	1.69	0.20
3307	3.91	600	1.69	0.27	4110	2.03	483	0.89	0.27	4692	1.29	402	0.58	0.27
3315	8.22	600	3.67	0.27	4111	3.35	600	1.51	0.27	4693	2.93	582	1.28	0.27
3334	6.10	600	2.67	0.27	4112	-	-	0.89	0.27	4703	6.22	600	2.70	0.27
3336	5.28	600	2.09	0.20	4113	2.49	534	1.08	0.27	4717	2.58	544	1.20	0.34
3365	11.41	600	4.51	0.20	4114	3.95	600	1.71	0.27	4720	4.30	600	1.85	0.27
3372	4.43	600	1.85	0.22	4130	5.02	600	2.17	0.27	4740	3.58	600	1.43	0.20
3373	8.80	600	3.80	0.27	4131	6.47	600	2.88	0.27	4741	3.67	600	1.60	0.27
3383	1.76	454	0.79	0.27	4133	4.65	600	2.06	0.27	4751	4.83	600	1.88	0.20
3385	1.33	406	0.60	0.27	4149	1.45	420	0.67	0.34	4771N	4.49	600	1.44	0.17
3400	4.58	600	1.91	0.22	4150	-	-	0.67	0.34	4777	7.18	600	2.30	0.17
3507	6.86	600	2.97	0.27	4206	6.35	600	2.75	0.27	4825	3.31	600	1.31	0.20
3515	3.48	600	1.51	0.27	4207	3.35	600	1.32	0.20	4828	2.46	531	1.03	0.22
3548	3.09	600	1.34	0.27	4239	4.07	600	1.61	0.20	4829	1.70	447	0.62	0.18
3559	5.55	600	2.38	0.27	4240	5.25	600	2.34	0.27	4902	4.48	600	2.00	0.27
3574	2.31	514	1.03	0.27	4243	3.48	600	1.50	0.27	4923	2.05	486	0.88	0.27
3581	2.43	527	1.09	0.27	4244	3.67	600	1.59	0.27	5020	7.53	600	3.00	0.20
3612	4.64	600	1.94	0.22	4250	4.43	600	1.92	0.27	5022	11.44	600	4.19	0.18
3620	6.57	600	2.60	0.20	4251	4.07	600	1.76	0.27	5037	70.15	600	22.68	0.17
3629	2.93	582	1.31	0.27	4263	4.70	600	2.02	0.27	5040	42.23	600	13.61	0.17
3632	6.00	600	2.50	0.22	4273	3.95	600	1.70	0.27	5057	11.44	600	3.68	0.17
3634	2.74	561	1.23	0.27	4279	3.00	590	1.30	0.27	5059	42.34	600	13.47	0.17
3635	5.63	600	2.44	0.27	4282	3.99	600	1.82	0.28	5069	50.36	600	16.34	0.17
3638	6.04	600	2.72	0.27	4283	4.51	600	1.95	0.27	5102	7.32	600	2.68	0.18
3642	2.87	576	1.24	0.27	4299	3.38	600	1.52	0.27	5146	8.08	600	3.21	0.20
3643	2.96	586	1.28	0.27	4304	6.72	600	2.79	0.22	5160	4.91	600	1.80	0.18
3647	3.61	600	1.51	0.22	4307	2.68	555	1.24	0.34	5183	6.24	600	2.49	0.20
3648	2.12	493	0.95	0.27	4351	1.24	396	0.54	0.27	5188	6.20	600	2.47	0.20
3681	2.09	490	0.93	0.27	4352	1.99	479	0.89	0.27	5190	4.16	600	1.66	0.20
3685	3.00	590	1.35	0.27	4360	1.65	442	0.75	0.27	5191	2.25	508	0.97	0.27
3719	2.16	498	0.69	0.17	4361	1.47	422	0.66	0.27	5192	5.44	600	2.34	0.27
3724	6.87	600	2.51	0.18	4362	-	-	0.75	0.27	5213	11.88	600	4.34	0.18
3726	11.35	600	3.69	0.17	4410	4.36	600	1.89	0.27	5215	9.63	600	4.04	0.22
3803	7.54	600	3.27	0.27	4420	5.94	600	2.19	0.18	5221	8.93	600	3.54	0.20
3807	3.60	600	1.61	0.27	4431	2.58	544	1.20	0.34	5222	17.80	600	6.49	0.18
3808	4.11	600	1.73	0.22	4432	3.19	600	1.49	0.34	5223	8.89	600	3.53	0.20
3821	9.80	600	4.07	0.22	4439	2.82	570	1.18	0.22	5348	7.50	600	3.00	0.20
3822	7.62	600	3.19	0.22	4452	5.17	600	2.22	0.27	5402	4.85	600	2.18	0.27
3824	8.75	600	3.65	0.22	4459	2.98	588	1.29	0.27	5403	15.37	600	5.60	0.18
3826	1.54	429	0.67	0.27	4470	3.83	600	1.66	0.27	5437	9.08	600	3.64	0.20
3827	3.25	600	1.35	0.22	4484	4.05	600	1.75	0.27	5443	5.18	600	2.24	0.27
3830	1.86	465	0.78	0.22	4493	3.97	600	1.72	0.27	5445	9.28	600	3.40	0.18

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit IV

Effective July 1, 2013

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
5462	12.61	600	4.99	0.20	6836	9.70	600	3.88	0.20	7520	5.10	600	2.22	0.27
5472	11.97	600	3.82	0.17	6843F	19.65	600	5.12	0.14	7538	12.70	600	4.10	0.17
5473	11.61	600	3.72	0.17	6845F	16.67	600	4.33	0.14	7539	5.57	600	2.02	0.18
5474	8.10	600	2.95	0.18	6854	7.34	600	2.35	0.17	7540	6.90	600	2.19	0.17
5478	6.65	600	2.65	0.20	6872F	14.73	600	3.83	0.14	7580	3.20	600	1.26	0.20
5479	7.91	600	3.31	0.22	6874F	34.61	600	9.00	0.14	7590	7.92	600	3.33	0.22
5480	17.38	600	6.35	0.18	6882	6.38	600	2.08	0.17	7600	3.92	600	1.55	0.20
5491	4.56	600	1.66	0.18	6884	14.92	600	4.87	0.17	7601	-	-	1.55	0.20
5506	10.33	600	3.31	0.17	7016M	15.24	600	5.01	0.17	7605	2.63	549	1.04	0.20
5507	5.24	600	1.92	0.18	7024M	16.93	600	5.57	0.17	7610	0.91	360	0.38	0.22
5508D	22.76	600	9.02	0.20	7038M	6.06	600	1.93	0.17	7611	-	-	1.55	0.20
5535	9.11	600	3.60	0.20	7046M	17.01	600	5.46	0.17	7612	-	-	1.55	0.20
5537	6.82	600	2.70	0.20	7047M	32.45	600	10.12	0.17	7613	-	-	1.55	0.20
5538	-	-	3.16	0.20	7050M	12.90	600	3.89	0.17	7704	-	-	13.78	0.18
5551	22.41	600	7.13	0.17	7090M	6.73	600	2.14	0.17	7705	7.86	600	3.28	0.22
5606	2.45	530	0.89	0.18	7098M	18.90	600	6.07	0.17	7710	37.95	600	13.78	0.18
5610	6.78	600	2.92	0.27	7099M	36.23	600	11.02	0.17	7711	37.95	600	13.78	0.18
5645	12.37	600	4.48	0.18	7133	7.30	600	2.69	0.18	7720	4.03	600	1.59	0.20
5651	-	-	4.48	0.18	7151M	8.87	600	3.26	0.18	7855	9.74	600	3.87	0.20
5703	20.49	600	8.15	0.20	7152M	18.89	600	6.59	0.18	8001	3.26	600	1.46	0.27
5705	15.56	600	6.07	0.20	7153M	9.86	600	3.63	0.18	8002	2.56	542	1.10	0.27
5951	1.68	445	0.74	0.27	7222	8.55	600	3.41	0.20	8006	3.85	600	1.66	0.27
6003	9.10	600	3.62	0.20	7228	10.88	600	4.34	0.20	8008	1.71	448	0.76	0.27
6005	8.14	600	3.25	0.20	7229	11.19	600	4.10	0.18	8010	2.66	553	1.18	0.27
6017	8.78	600	3.53	0.20	7230	16.01	600	6.65	0.22	8013	0.45	310	0.20	0.27
6018	4.45	600	1.78	0.20	7231	13.93	600	5.85	0.22	8015	1.04	374	0.45	0.27
6045	2.45	530	0.97	0.20	7232	9.31	600	3.43	0.19	8017	2.08	489	0.93	0.27
6204	13.09	600	4.79	0.18	7309F	22.83	600	5.92	0.14	8018	3.60	600	1.61	0.27
6206	6.27	600	2.01	0.17	7313F	5.32	600	1.39	0.14	8021	2.92	581	1.26	0.27
6213	3.43	600	1.26	0.18	7317F	10.17	600	2.64	0.14	8031	3.19	600	1.37	0.27
6214	5.45	600	1.76	0.17	7327F	32.01	600	8.39	0.14	8032	3.19	600	1.43	0.27
6216	10.60	600	3.41	0.17	7333M	15.55	600	5.16	0.17	8033	1.99	479	0.85	0.27
6217	8.81	600	3.22	0.18	7335M	17.28	600	5.74	0.17	8037	2.08	489	0.93	0.27
6229	6.14	600	2.23	0.18	7337M	33.13	600	10.42	0.17	8039	2.01	481	0.90	0.27
6233	6.73	600	2.47	0.18	7350F	13.48	600	3.86	0.16	8044	4.18	600	1.75	0.22
6235	13.19	600	4.25	0.17	7360	9.25	600	3.66	0.20	8045	0.63	329	0.28	0.27
6236	16.24	600	6.46	0.20	7370	6.85	600	2.97	0.27	8046	2.82	570	1.22	0.27
6237	2.55	541	1.02	0.20	7380	6.36	600	2.66	0.22	8047	1.47	422	0.66	0.27
6251D	11.50	600	4.21	0.19	7382	5.59	600	2.41	0.27	8058	3.54	600	1.52	0.27
6252D	9.24	600	2.97	0.17	7390	5.33	600	2.31	0.27	8072	0.92	361	0.41	0.27
6260D	11.40	600	3.68	0.17	7394M	9.32	600	3.03	0.17	8102	2.75	563	1.23	0.27
6306	9.07	600	3.31	0.18	7395M	10.35	600	3.36	0.17	8103	4.26	600	1.78	0.22
6319	4.83	600	1.77	0.18	7398M	19.84	600	6.10	0.17	8105	4.18	600	1.87	0.27
6325	9.49	600	3.47	0.18	7402	0.33	296	0.14	0.27	8106	8.57	600	3.38	0.20
6400	8.75	600	3.67	0.22	7403	6.61	600	2.63	0.20	8107	4.30	600	1.70	0.20
6503	3.19	600	1.44	0.27	7405N	1.47	509	0.58	0.20	8111	3.37	600	1.46	0.27
6504	3.19	600	1.44	0.27	7420	13.97	600	4.57	0.17	8116	3.58	600	1.54	0.27
6702M*	11.83	600	4.70	0.20	7421	2.36	520	0.86	0.18	8203	8.47	600	3.68	0.27
6703M*	25.21	600	9.49	0.20	7422	4.49	600	1.46	0.17	8204	8.26	600	3.30	0.20
6704M*	13.15	600	5.23	0.20	7425	4.68	600	1.53	0.17	8209	7.25	600	3.14	0.27
6801F	7.82	600	2.36	0.18	7431N	1.74	555	0.57	0.17	8215	4.45	600	1.76	0.20
6811	7.68	600	3.06	0.20	7445N	0.79	-	-	-	8227	8.67	600	2.78	0.17
6824F	13.28	600	3.84	0.16	7453N	0.94	-	-	-	8232	7.25	600	2.87	0.20
6826F	23.07	600	6.77	0.18	7502	4.34	600	1.72	0.20	8233	6.41	600	2.57	0.20
6834	6.98	600	2.89	0.22	7515	2.11	492	0.68	0.17	8235	6.74	600	2.94	0.27

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit IV

Effective July 1, 2013

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
8263	18.12	600	7.43	0.22	8868	0.57	323	0.25	0.27					
8264	9.27	600	3.65	0.20	8869	1.60	436	0.71	0.27					
8265	10.73	600	3.91	0.18	8871	0.27	290	0.12	0.27					
8279	9.43	600	3.41	0.18	8901	0.52	317	0.22	0.22					
8288	9.92	600	3.87	0.20	9012	2.22	504	0.93	0.22					
8291	6.66	600	2.76	0.22	9014	4.92	600	2.12	0.27					
8292	6.07	600	2.62	0.27	9015	5.06	600	2.19	0.27					
8293	12.13	600	4.81	0.20	9016	4.07	600	1.74	0.27					
8304	9.77	600	3.85	0.20	9019	3.11	600	1.23	0.20					
8350	8.84	600	3.22	0.18	9033	3.04	594	1.31	0.27					
8380	4.78	600	2.00	0.22	9040	5.10	600	2.28	0.27					
8381	4.82	600	2.00	0.22	9044	2.34	517	1.04	0.27					
8385	3.87	600	1.53	0.20	9052	3.95	600	1.77	0.27					
8392	3.63	600	1.56	0.27	9058	2.82	570	1.30	0.34					
8393	2.66	553	1.15	0.27	9059	-	-	0.71	0.27					
8500	7.44	600	2.93	0.20	9060	1.77	455	0.79	0.27					
8601	0.96	366	0.41	0.22	9061	2.22	504	1.03	0.34					
8602	1.12	383	0.47	0.22	9062	1.92	471	0.89	0.34					
8603	0.30	293	0.13	0.27	9063	1.64	440	0.73	0.27					
8606	5.40	600	1.97	0.18	9077F	4.37	600	1.40	0.25					
8709F	9.05	600	2.36	0.14	9082	2.15	497	0.99	0.34					
8719	9.57	600	3.00	0.17	9083	2.12	493	0.98	0.34					
8720	3.54	600	1.39	0.20	9084	2.10	491	0.90	0.27					
8721	0.57	323	0.22	0.20	9088a	a	a	a	a					
8723	0.31	294	0.13	0.27	9089	1.29	402	0.58	0.27					
8725	3.10	600	1.22	0.20	9093	2.01	481	0.90	0.27					
8726F	5.10	600	1.56	0.18	9101	7.91	600	3.54	0.27					
8734M	0.86	355	0.34	0.20	9102	5.48	600	2.36	0.27					
8737M	0.78	346	0.31	0.20	9110	-	-	1.05	0.27					
8738M	1.66	443	0.61	0.20	9154	2.14	495	0.92	0.27					
8742	0.64	330	0.25	0.20	9156	3.22	600	1.34	0.22					
8745	6.15	600	2.55	0.22	9170	8.59	600	2.74	0.17					
8748	1.40	414	0.58	0.22	9178	8.55	600	3.94	0.34					
8755	0.69	336	0.28	0.20	9179	16.84	600	7.54	0.27					
8799	0.99	369	0.43	0.27	9180	7.39	600	2.89	0.20					
8800	2.78	566	1.29	0.34	9182	3.02	592	1.29	0.27					
8803	0.16	278	0.06	0.20	9186	20.99	600	7.56	0.18					
8805M	0.42	306	0.18	0.27	9220	6.32	600	2.62	0.22					
8810	0.31	294	0.13	0.27	9402	6.11	600	2.42	0.20					
8814M	0.38	302	0.16	0.27	9403	11.67	600	4.26	0.18					
8815M	0.80	348	0.32	0.27	9410	3.85	600	1.67	0.27					
8820	0.40	304	0.17	0.22	9501	5.59	600	2.33	0.22					
8824	5.18	600	2.32	0.27	9505	5.84	600	2.44	0.22					
8825	2.48	533	1.15	0.34	9516	10.98	600	4.35	0.20					
8826	4.30	600	1.85	0.27	9519	6.09	600	2.40	0.20					
8829	3.95	600	1.70	0.27	9521	5.55	600	2.19	0.20					
8831	1.99	479	0.85	0.27	9522	4.58	600	1.98	0.27					
8832	0.48	313	0.21	0.27	9534	9.93	600	3.66	0.19					
8833	1.49	424	0.65	0.27	9554	15.43	600	5.66	0.18					
8835	4.15	600	1.79	0.27	9586	0.75	343	0.35	0.34					
8842	3.06	597	1.31	0.27	9600	3.34	600	1.50	0.27					
8855	0.31	294	0.13	0.27	9620	1.14	385	0.47	0.22					
8856	0.31	294	0.13	0.27										
8861	-	-	-	1.05	0.27									
8864	2.45	530	1.05	0.27										

* Refer to the Footnotes Page for additional information on this class code.

Effective July 1, 2013

FOOTNOTES

- a Rate for each individual risk must be obtained from NCCI Customer Service or the Rating Organization having jurisdiction.
- A Minimum Premium \$100 per ginning location for policy minimum premium computation.
- D Rate for classification already includes the specific disease loading shown in the table below. See **Basic Manual** Rule 3-A-7.

Disease			Disease			Disease		
Code No.	Loading	Symbol	Code No.	Loading	Symbol	Code No.	Loading	Symbol
0059D	0.62	S	1710D	0.08	S	3175D	0.07	S
0065D	0.14	S	1741D	0.69	S	4024D	0.05	S
0066D	0.14	S	1803D	0.41	S	5508D	0.14	S
0067D	0.14	S	1852D	0.56	Asb	6251D	0.08	S
1164D	0.13	S	3081D	0.11	S	6252D	0.08	S
1165D	0.09	S	3082D	0.11	S	6260D	0.10	S
1624D	0.07	S	3085D	0.18	S			

Asb=Asbestos, S=Silica

- F Rate provides for coverage under the United States Longshore and Harbor Workers Compensation Act and its extensions. Rate includes a provision for USL&HW Assessment.
- M Risks are subject to Admiralty Law or Federal Employers Liability Act (FELA). However, the published rate is for risks that voluntarily purchase standard workers compensation and employers liability coverage. A provision for the USL&HW Assessment is included for those classifications under Program II USL Act.
- N This code is part of a ratable / non-ratable group shown below. The statistical non-ratable code and corresponding rate are applied in addition to the basic classification when determining premium.

Class Code	Non-Ratable Element Code
4771	0771
7405	7445
7431	7453

- P Classification is computed on a per capita basis.
- X Refer to special classification phraseology in these pages which is applicable in this state.

*** Class Codes with Specific Footnotes**

- 1005 Rate includes a non-ratable disease element of \$3.57. (For coverage written separately for federal benefits only, \$1.53. For coverage written separately for state benefits only, \$2.04).
- 1016 Rate includes a non-ratable disease element of \$10.19. (For coverage written separately for federal benefits only, \$4.61. For coverage written separately for state benefits only, \$5.58.)
- 6702 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection code rate and elr each x 1.215.
- 6703 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate x 2.588 and elr x 2.452.
- 6704 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate and elr each x 1.35.

Effective July 1, 2013

MISCELLANEOUS VALUES

Basis of premium applicable in accordance with **Basic Manual** footnote instructions for Code 7370 -- "Taxicab Co.":

Employee operated vehicle.....	\$58,400.00
Leased or rented vehicle.....	\$38,900.00

Catastrophe (other than Certified Acts of Terrorism) - (Voluntary) 0.01

Expense Constant applicable in accordance with **Basic Manual** Rule 3-A-11..... \$260.00

Maximum Payroll applicable in accordance with **Basic Manual** Rule 2-E -- "Executive Officers" including members of limited liability companies, Rule 2-E-3 for Partners and Sole Proprietors, and **Basic Manual** footnote instructions for Code 9178 -- "Athletic Sports or Park: Non-Contact Sports", and Code 9179 -- "Athletic Sports or Park: Contact Sports" \$3,000.00

Minimum Payroll applicable in accordance with **Basic Manual** Rule 2-E -- "Executive Officers" and members of limited liability companies and Rule 2-E-3 for Partners and Sole Proprietors \$350.00

Per Passenger Seat Surcharge - In accordance with **Basic Manual** footnote instructions for Code 7421, the surcharge is

Maximum surcharge per aircraft.....	\$1,000.00
Per passenger seat.....	\$100.00

Premium Discount Percentages - (See Basic Manual Rule 3-A-19-a.) The following premium discounts are applicable to Standard Premiums:

		Type A	Type B
First	\$10,000	-	-
Next	190,000	9.1%	5.1%
Next	1,550,000	11.3%	6.5%
Over	1,750,000	12.3%	7.5%

Terrorism (Voluntary) 0.02

United States Longshore and Harbor Workers' Compensation Coverage Percentage applicable only in connection with **Basic Manual** Rule 3-A-4..... 100%

(Multiply a Non-F classification rate by a factor of 2 to adjust for differences in benefits and loss-based expenses. This factor is the product of the adjustment for differences in benefits (1.89) and the adjustment for differences in loss-based expenses (1.058).).

Experience Rating Eligibility

A risk is eligible for intrastate experience rating when the payrolls or other exposures developed in the last year or last two years of the experience period produced a premium of at least \$7,500. If more than two years, an average annual premium of at least \$3,750 is required. Page A-1 of the **Experience Rating Plan Manual** should be referenced for the latest approved eligibility amounts by state.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit V

IOWA

Page S1

Effective July 1, 2013

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
0005	6.09	500	2.09	0.27	2002	4.34	600	1.55	0.27	2688	7.21	600	2.56	0.27
0008	4.01	500	1.33	0.22	2003	8.25	600	2.87	0.27	2701	17.81	600	5.66	0.20
0016	9.73	350	3.07	0.20	2014	10.54	600	3.33	0.20	2702	33.34	600	8.56	0.17
0034	10.78	500	3.73	0.27	2016	5.91	600	2.15	0.28	2709	22.63	600	7.20	0.20
0035	5.86	500	2.12	0.28	2021	6.31	600	2.11	0.22	2710	12.88	600	3.74	0.18
0036	6.23	350	2.16	0.27	2039	7.34	600	2.67	0.28	2714	9.05	600	3.23	0.27
0037	7.48	350	2.48	0.22	2041	7.51	600	2.69	0.27	2731	5.80	600	1.83	0.20
0042	13.53	500	4.50	0.22	2065	7.99	600	2.77	0.27	2735	13.78	600	4.88	0.27
0050	16.94	600	5.85	0.27	2070	9.84	600	3.41	0.27	2759	11.26	600	4.02	0.27
0059D	0.78	-	0.10	0.17	2081	10.28	600	3.52	0.27	2790	2.74	561	0.98	0.27
0065D	0.18	-	0.03	0.20	2089	7.00	600	2.42	0.27	2797	9.79	600	3.26	0.22
0066D	0.18	-	0.03	0.20	2095	6.51	600	2.24	0.27	2799	5.98	600	2.00	0.22
0067D	0.18	-	0.03	0.20	2105	5.71	600	2.04	0.27	2802	9.79	600	3.26	0.22
0079	8.04	500	2.54	0.20	2110	4.83	600	1.73	0.27	2812	-	-	2.17	0.27
0083	10.83	350	3.74	0.27	2111	3.51	600	1.26	0.27	2835	5.54	600	2.07	0.34
0106	17.90	600	5.22	0.18	2112	5.05	600	1.82	0.27	2836	5.13	600	1.90	0.34
0113	6.70	600	2.30	0.27	2114	3.83	600	1.37	0.27	2841	9.45	600	3.37	0.27
0170	7.15	600	2.46	0.27	2121	3.25	600	1.13	0.27	2881	5.23	600	1.95	0.34
0251	6.03	600	2.09	0.27	2130	4.99	600	1.73	0.27	2883	6.31	600	2.17	0.27
0400	12.54	600	4.21	0.22	2131	5.61	600	1.95	0.27	2913	10.69	600	3.97	0.34
0401	14.74	A	4.29	0.18	2143	4.11	600	1.48	0.27	2915	6.56	600	2.19	0.22
0771N	0.99	-	-	-	2156	-	-	2.68	0.27	2916	6.29	600	1.83	0.18
0908P	329.00	589	113.86	0.27	2157	7.74	600	2.68	0.27	2923	3.98	600	1.43	0.27
0909	-	-	113.86	0.27	2172	3.95	600	1.33	0.22	2942	5.09	600	1.91	0.34
0912	-	-	281.24	0.27	2174	5.93	600	2.14	0.27	2960	8.44	600	2.92	0.27
0913P	811.00	600	281.24	0.27	2211	13.44	600	4.21	0.20	3004	3.29	600	1.05	0.20
0917	8.09	600	2.90	0.27	2220	4.50	600	1.56	0.27	3018	4.66	600	1.49	0.20
1005*	15.62	600	2.88	0.17	2286	3.79	600	1.35	0.27	3022	6.75	600	2.42	0.27
1016X*	38.03	600	6.51	0.17	2288	5.91	600	2.13	0.27	3027	7.43	600	2.36	0.20
1164D	9.91	600	2.49	0.17	2300	4.15	600	1.55	0.34	3028	4.90	600	1.70	0.27
1165D	8.10	600	2.34	0.18	2302	3.68	600	1.27	0.27	3030	9.94	600	3.13	0.20
1320	5.23	600	1.53	0.18	2305	4.43	600	1.48	0.22	3040	8.88	600	2.80	0.20
1322	15.58	600	4.57	0.18	2361	3.46	600	1.19	0.27	3041	8.21	600	2.85	0.27
1430	13.11	600	4.13	0.20	2362	2.81	569	0.97	0.27	3042	9.63	600	3.25	0.22
1438	7.86	600	2.29	0.18	2380	4.39	600	1.51	0.27	3064	7.38	600	2.55	0.27
1452	3.84	600	1.22	0.20	2386	3.46	600	1.25	0.27	3066	-	-	2.17	0.27
1463	38.23	600	11.18	0.18	2388	3.68	600	1.32	0.27	3069	8.33	600	2.63	0.20
1472	7.90	600	2.29	0.18	2402	5.38	600	1.70	0.20	3076	6.05	600	2.17	0.27
1624D	8.44	600	2.43	0.18	2413	3.94	600	1.36	0.27	3081D	8.24	600	2.57	0.20
1642	8.30	600	2.64	0.20	2416	3.39	600	1.17	0.27	3082D	11.07	600	3.45	0.20
1654	10.98	600	3.47	0.20	2417	4.43	600	1.54	0.27	3085D	14.32	600	4.45	0.20
1655	9.96	600	3.20	0.20	2501	6.00	600	2.07	0.27	3110	8.85	600	3.08	0.27
1699	7.04	600	2.24	0.20	2503	2.40	524	0.86	0.27	3111	5.09	600	1.76	0.27
1701	5.81	600	1.85	0.20	2534	4.86	600	1.73	0.27	3113	6.25	600	2.16	0.27
1710D	7.74	600	2.43	0.20	2570	6.88	600	2.48	0.27	3114	5.69	600	1.98	0.27
1741D	6.87	600	1.53	0.17	2585	7.58	600	2.71	0.27	3118	3.13	600	1.12	0.27
1747	3.64	600	1.16	0.20	2586	5.71	600	1.98	0.27	3119	2.38	522	0.89	0.34
1748	7.23	600	2.27	0.20	2587	7.83	600	2.81	0.27	3122	3.83	600	1.36	0.27
1803D	13.22	600	3.70	0.18	2589	4.43	600	1.53	0.27	3126	7.31	600	2.55	0.27
1852D	6.06	600	1.36	0.17	2600	3.99	600	1.44	0.27	3131	3.90	600	1.34	0.27
1853	4.90	600	1.66	0.22	2623	9.60	600	3.20	0.22	3132	5.85	600	2.02	0.27
1860	3.20	600	1.15	0.27	2651	4.79	600	1.71	0.27	3145	4.51	600	1.56	0.27
1924	5.36	600	1.93	0.27	2660	4.65	600	1.66	0.27	3146	4.69	600	1.62	0.27
1925	11.88	600	3.94	0.22	2670	3.86	600	1.44	0.34	3169	6.64	600	2.29	0.27
2001	-	-	2.87	0.27	2683	4.89	600	1.74	0.27	3175D	6.57	600	2.24	0.27

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit V

Effective July 1, 2013

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
3179	5.33	600	1.90	0.27	3851	6.44	600	2.31	0.27	4511	1.15	387	0.38	0.22
3180	4.65	600	1.66	0.27	3865	3.63	600	1.36	0.34	4557	3.39	600	1.21	0.27
3188	3.68	600	1.32	0.27	3881	10.04	600	3.50	0.27	4558	6.99	600	2.39	0.27
3220	3.48	600	1.21	0.27	4000	16.39	600	4.73	0.18	4561	-	-	1.18	0.22
3223	6.59	600	2.43	0.34	4021	11.21	600	3.57	0.20	4568	5.96	600	1.90	0.20
3224	6.73	600	2.43	0.27	4024D	9.04	600	2.85	0.20	4581	3.08	599	0.89	0.18
3227	7.08	600	2.53	0.27	4034	14.26	600	4.53	0.20	4583	6.51	600	1.89	0.18
3240	3.88	600	1.39	0.27	4036	5.34	600	1.70	0.20	4611	2.69	556	0.96	0.27
3241	6.29	600	2.17	0.27	4038	7.48	600	2.77	0.34	4635	5.68	600	1.44	0.17
3255	3.09	600	1.15	0.34	4053	5.54	600	1.91	0.27	4653	3.33	600	1.20	0.27
3257	6.53	600	2.25	0.27	4061	9.95	600	3.58	0.27	4665	16.94	600	5.37	0.20
3270	4.70	600	1.63	0.27	4062	2.88	577	0.99	0.27	4670	9.76	600	3.11	0.20
3300	9.29	600	3.22	0.27	4101	6.00	600	2.00	0.22	4683	5.40	600	1.87	0.27
3303	4.93	600	1.77	0.27	4109	1.85	464	0.66	0.27	4686	5.34	600	1.69	0.20
3307	4.89	600	1.69	0.27	4110	2.54	539	0.89	0.27	4692	1.61	437	0.58	0.27
3315	10.28	600	3.67	0.27	4111	4.19	600	1.51	0.27	4693	3.66	600	1.28	0.27
3334	7.63	600	2.67	0.27	4112	-	-	0.89	0.27	4703	7.78	600	2.70	0.27
3336	6.60	600	2.09	0.20	4113	3.11	600	1.08	0.27	4717	3.23	600	1.20	0.34
3365	14.26	600	4.51	0.20	4114	4.94	600	1.71	0.27	4720	5.38	600	1.85	0.27
3372	5.54	600	1.85	0.22	4130	6.28	600	2.17	0.27	4740	4.48	600	1.43	0.20
3373	11.00	600	3.80	0.27	4131	8.09	600	2.88	0.27	4741	4.59	600	1.60	0.27
3383	2.20	502	0.79	0.27	4133	5.81	600	2.06	0.27	4751	6.04	600	1.88	0.20
3385	1.66	443	0.60	0.27	4149	1.81	459	0.67	0.34	4771N	5.61	600	1.44	0.17
3400	5.73	600	1.91	0.22	4150	-	-	0.67	0.34	4777	8.98	600	2.30	0.17
3507	8.58	600	2.97	0.27	4206	7.94	600	2.75	0.27	4825	4.14	600	1.31	0.20
3515	4.35	600	1.51	0.27	4207	4.19	600	1.32	0.20	4828	3.08	599	1.03	0.22
3548	3.86	600	1.34	0.27	4239	5.09	600	1.61	0.20	4829	2.13	494	0.62	0.18
3559	6.94	600	2.38	0.27	4240	6.56	600	2.34	0.27	4902	5.60	600	2.00	0.27
3574	2.89	578	1.03	0.27	4243	4.35	600	1.50	0.27	4923	2.56	542	0.88	0.27
3581	3.04	594	1.09	0.27	4244	4.59	600	1.59	0.27	5020	9.41	600	3.00	0.20
3612	5.80	600	1.94	0.22	4250	5.54	600	1.92	0.27	5022	14.30	600	4.19	0.18
3620	8.21	600	2.60	0.20	4251	5.09	600	1.76	0.27	5037	87.69	600	22.68	0.17
3629	3.66	600	1.31	0.27	4263	5.88	600	2.02	0.27	5040	52.79	600	13.61	0.17
3632	7.50	600	2.50	0.22	4273	4.94	600	1.70	0.27	5057	14.30	600	3.68	0.17
3634	3.43	600	1.23	0.27	4279	3.75	600	1.30	0.27	5059	52.93	600	13.47	0.17
3635	7.04	600	2.44	0.27	4282	4.99	600	1.82	0.28	5069	62.95	600	16.34	0.17
3638	7.55	600	2.72	0.27	4283	5.64	600	1.95	0.27	5102	9.15	600	2.68	0.18
3642	3.59	600	1.24	0.27	4299	4.23	600	1.52	0.27	5146	10.10	600	3.21	0.20
3643	3.70	600	1.28	0.27	4304	8.40	600	2.79	0.22	5160	6.14	600	1.80	0.18
3647	4.51	600	1.51	0.22	4307	3.35	600	1.24	0.34	5183	7.80	600	2.49	0.20
3648	2.65	552	0.95	0.27	4351	1.55	431	0.54	0.27	5188	7.75	600	2.47	0.20
3681	2.61	547	0.93	0.27	4352	2.49	534	0.89	0.27	5190	5.20	600	1.66	0.20
3685	3.75	600	1.35	0.27	4360	2.06	487	0.75	0.27	5191	2.81	569	0.97	0.27
3719	2.70	557	0.69	0.17	4361	1.84	462	0.66	0.27	5192	6.80	600	2.34	0.27
3724	8.59	600	2.51	0.18	4362	-	-	0.75	0.27	5213	14.85	600	4.34	0.18
3726	14.19	600	3.69	0.17	4410	5.45	600	1.89	0.27	5215	12.04	600	4.04	0.22
3803	9.43	600	3.27	0.27	4420	7.43	600	2.19	0.18	5221	11.16	600	3.54	0.20
3807	4.50	600	1.61	0.27	4431	3.23	600	1.20	0.34	5222	22.25	600	6.49	0.18
3808	5.14	600	1.73	0.22	4432	3.99	600	1.49	0.34	5223	11.11	600	3.53	0.20
3821	12.25	600	4.07	0.22	4439	3.53	600	1.18	0.22	5348	9.38	600	3.00	0.20
3822	9.53	600	3.19	0.22	4452	6.46	600	2.22	0.27	5402	6.06	600	2.18	0.27
3824	10.94	600	3.65	0.22	4459	3.73	600	1.29	0.27	5403	19.21	600	5.60	0.18
3826	1.93	472	0.67	0.27	4470	4.79	600	1.66	0.27	5437	11.35	600	3.64	0.20
3827	4.06	600	1.35	0.22	4484	5.06	600	1.75	0.27	5443	6.48	600	2.24	0.27
3830	2.33	516	0.78	0.22	4493	4.96	600	1.72	0.27	5445	11.60	600	3.40	0.18

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit V

Effective July 1, 2013

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
5462	15.76	600	4.99	0.20	6836	12.13	600	3.88	0.20	7520	6.38	600	2.22	0.27
5472	14.96	600	3.82	0.17	6843F	24.56	600	5.12	0.14	7538	15.88	600	4.10	0.17
5473	14.51	600	3.72	0.17	6845F	20.84	600	4.33	0.14	7539	6.96	600	2.02	0.18
5474	10.13	600	2.95	0.18	6854	9.18	600	2.35	0.17	7540	8.63	600	2.19	0.17
5478	8.31	600	2.65	0.20	6872F	18.41	600	3.83	0.14	7580	4.00	600	1.26	0.20
5479	9.89	600	3.31	0.22	6874F	43.26	600	9.00	0.14	7590	9.90	600	3.33	0.22
5480	21.73	600	6.35	0.18	6882	7.98	600	2.08	0.17	7600	4.90	600	1.55	0.20
5491	5.70	600	1.66	0.18	6884	18.65	600	4.87	0.17	7601	-	-	1.55	0.20
5506	12.91	600	3.31	0.17	7016M	19.05	600	5.01	0.17	7605	3.29	600	1.04	0.20
5507	6.55	600	1.92	0.18	7024M	21.16	600	5.57	0.17	7610	1.14	385	0.38	0.22
5508D	28.46	600	9.02	0.20	7038M	7.58	600	1.93	0.17	7611	-	-	1.55	0.20
5535	11.39	600	3.60	0.20	7046M	21.26	600	5.46	0.17	7612	-	-	1.55	0.20
5537	8.53	600	2.70	0.20	7047M	40.56	600	10.12	0.17	7613	-	-	1.55	0.20
5538	-	-	3.16	0.20	7050M	16.13	600	3.89	0.17	7704	-	-	13.78	0.18
5551	28.01	600	7.13	0.17	7090M	8.41	600	2.14	0.17	7705	9.83	600	3.28	0.22
5606	3.06	597	0.89	0.18	7098M	23.63	600	6.07	0.17	7710	47.44	600	13.78	0.18
5610	8.48	600	2.92	0.27	7099M	45.29	600	11.02	0.17	7711	47.44	600	13.78	0.18
5645	15.46	600	4.48	0.18	7133	9.13	600	2.69	0.18	7720	5.04	600	1.59	0.20
5651	-	-	4.48	0.18	7151M	11.09	600	3.26	0.18	7855	12.18	600	3.87	0.20
5703	25.61	600	8.15	0.20	7152M	23.61	600	6.59	0.18	8001	4.08	600	1.46	0.27
5705	19.45	600	6.07	0.20	7153M	12.33	600	3.63	0.18	8002	3.20	600	1.10	0.27
5951	2.10	491	0.74	0.27	7222	10.69	600	3.41	0.20	8006	4.81	600	1.66	0.27
6003	11.38	600	3.62	0.20	7228	13.60	600	4.34	0.20	8008	2.14	495	0.76	0.27
6005	10.18	600	3.25	0.20	7229	13.99	600	4.10	0.18	8010	3.33	600	1.18	0.27
6017	10.98	600	3.53	0.20	7230	20.01	600	6.65	0.22	8013	0.56	322	0.20	0.27
6018	5.56	600	1.78	0.20	7231	17.41	600	5.85	0.22	8015	1.30	403	0.45	0.27
6045	3.06	597	0.97	0.20	7232	11.64	600	3.43	0.19	8017	2.60	546	0.93	0.27
6204	16.36	600	4.79	0.18	7309F	28.54	600	5.92	0.14	8018	4.50	600	1.61	0.27
6206	7.84	600	2.01	0.17	7313F	6.65	600	1.39	0.14	8021	3.65	600	1.26	0.27
6213	4.29	600	1.26	0.18	7317F	12.71	600	2.64	0.14	8031	3.99	600	1.37	0.27
6214	6.81	600	1.76	0.17	7327F	40.01	600	8.39	0.14	8032	3.99	600	1.43	0.27
6216	13.25	600	3.41	0.17	7333M	19.44	600	5.16	0.17	8033	2.49	534	0.85	0.27
6217	11.01	600	3.22	0.18	7335M	21.60	600	5.74	0.17	8037	2.60	546	0.93	0.27
6229	7.68	600	2.23	0.18	7337M	41.41	600	10.42	0.17	8039	2.51	536	0.90	0.27
6233	8.41	600	2.47	0.18	7350F	16.85	600	3.86	0.16	8044	5.23	600	1.75	0.22
6235	16.49	600	4.25	0.17	7360	11.56	600	3.66	0.20	8045	0.79	347	0.28	0.27
6236	20.30	600	6.46	0.20	7370	8.56	600	2.97	0.27	8046	3.53	600	1.22	0.27
6237	3.19	600	1.02	0.20	7380	7.95	600	2.66	0.22	8047	1.84	462	0.66	0.27
6251D	14.38	600	4.21	0.19	7382	6.99	600	2.41	0.27	8058	4.43	600	1.52	0.27
6252D	11.55	600	2.97	0.17	7390	6.66	600	2.31	0.27	8072	1.15	387	0.41	0.27
6260D	14.26	600	3.68	0.17	7394M	11.65	600	3.03	0.17	8102	3.44	600	1.23	0.27
6306	11.34	600	3.31	0.18	7395M	12.94	600	3.36	0.17	8103	5.33	600	1.78	0.22
6319	6.04	600	1.77	0.18	7398M	24.80	600	6.10	0.17	8105	5.23	600	1.87	0.27
6325	11.86	600	3.47	0.18	7402	0.41	305	0.14	0.27	8106	10.71	600	3.38	0.20
6400	10.94	600	3.67	0.22	7403	8.26	600	2.63	0.20	8107	5.38	600	1.70	0.20
6503	3.99	600	1.44	0.27	7405N	1.84	571	0.58	0.20	8111	4.21	600	1.46	0.27
6504	3.99	600	1.44	0.27	7420	17.46	600	4.57	0.17	8116	4.48	600	1.54	0.27
6702M*	14.79	600	4.70	0.20	7421	2.95	585	0.86	0.18	8203	10.59	600	3.68	0.27
6703M*	31.51	600	9.49	0.20	7422	5.61	600	1.46	0.17	8204	10.33	600	3.30	0.20
6704M*	16.44	600	5.23	0.20	7425	5.85	600	1.53	0.17	8209	9.06	600	3.14	0.27
6801F	9.78	600	2.36	0.18	7431N	2.18	600	0.57	0.17	8215	5.56	600	1.76	0.20
6811	9.60	600	3.06	0.20	7445N	0.99	-	-	-	8227	10.84	600	2.78	0.17
6824F	16.60	600	3.84	0.16	7453N	1.18	-	-	-	8232	9.06	600	2.87	0.20
6826F	28.84	600	6.77	0.18	7502	5.43	600	1.72	0.20	8233	8.01	600	2.57	0.20
6834	8.73	600	2.89	0.22	7515	2.64	550	0.68	0.17	8235	8.43	600	2.94	0.27

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Exhibit V

IOWA

Page S4

Effective July 1, 2013

APPLICABLE TO ASSIGNED RISK POLICIES ONLY

CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO	CLASS CODE	RATE	MIN PREM	ELR	D RATIO
8263	22.65	600	7.43	0.22	8868	0.71	338	0.25	0.27					
8264	11.59	600	3.65	0.20	8869	2.00	480	0.71	0.27					
8265	13.41	600	3.91	0.18	8871	0.34	297	0.12	0.27					
8279	11.79	600	3.41	0.18	8901	0.65	332	0.22	0.22					
8288	12.40	600	3.87	0.20	9012	2.78	566	0.93	0.22					
8291	8.33	600	2.76	0.22	9014	6.15	600	2.12	0.27					
8292	7.59	600	2.62	0.27	9015	6.33	600	2.19	0.27					
8293	15.16	600	4.81	0.20	9016	5.09	600	1.74	0.27					
8304	12.21	600	3.85	0.20	9019	3.89	600	1.23	0.20					
8350	11.05	600	3.22	0.18	9033	3.80	600	1.31	0.27					
8380	5.98	600	2.00	0.22	9040	6.38	600	2.28	0.27					
8381	6.03	600	2.00	0.22	9044	2.93	582	1.04	0.27					
8385	4.84	600	1.53	0.20	9052	4.94	600	1.77	0.27					
8392	4.54	600	1.56	0.27	9058	3.53	600	1.30	0.34					
8393	3.33	600	1.15	0.27	9059	-	-	0.71	0.27					
8500	9.30	600	2.93	0.20	9060	2.21	503	0.79	0.27					
8601	1.20	392	0.41	0.22	9061	2.78	566	1.03	0.34					
8602	1.40	414	0.47	0.22	9062	2.40	524	0.89	0.34					
8603	0.38	302	0.13	0.27	9063	2.05	486	0.73	0.27					
8606	6.75	600	1.97	0.18	9077F	5.46	600	1.40	0.25					
8709F	11.31	600	2.36	0.14	9082	2.69	556	0.99	0.34					
8719	11.96	600	3.00	0.17	9083	2.65	552	0.98	0.34					
8720	4.43	600	1.39	0.20	9084	2.63	549	0.90	0.27					
8721	0.71	338	0.22	0.20	9088a	a	a	a	a					
8723	0.39	303	0.13	0.27	9089	1.61	437	0.58	0.27					
8725	3.88	600	1.22	0.20	9093	2.51	536	0.90	0.27					
8726F	6.38	600	1.56	0.18	9101	9.89	600	3.54	0.27					
8734M	1.08	379	0.34	0.20	9102	6.85	600	2.36	0.27					
8737M	0.98	368	0.31	0.20	9110	-	-	1.05	0.27					
8738M	2.08	489	0.61	0.20	9154	2.68	555	0.92	0.27					
8742	0.80	348	0.25	0.20	9156	4.03	600	1.34	0.22					
8745	7.69	600	2.55	0.22	9170	10.74	600	2.74	0.17					
8748	1.75	453	0.58	0.22	9178	10.69	600	3.94	0.34					
8755	0.86	355	0.28	0.20	9179	21.05	600	7.54	0.27					
8799	1.24	396	0.43	0.27	9180	9.24	600	2.89	0.20					
8800	3.48	600	1.29	0.34	9182	3.78	600	1.29	0.27					
8803	0.20	282	0.06	0.20	9186	26.24	600	7.56	0.18					
8805M	0.53	318	0.18	0.27	9220	7.90	600	2.62	0.22					
8810	0.39	303	0.13	0.27	9402	7.64	600	2.42	0.20					
8814M	0.48	313	0.16	0.27	9403	14.59	600	4.26	0.18					
8815M	1.00	370	0.32	0.27	9410	4.81	600	1.67	0.27					
8820	0.50	315	0.17	0.22	9501	6.99	600	2.33	0.22					
8824	6.48	600	2.32	0.27	9505	7.30	600	2.44	0.22					
8825	3.10	600	1.15	0.34	9516	13.73	600	4.35	0.20					
8826	5.38	600	1.85	0.27	9519	7.61	600	2.40	0.20					
8829	4.94	600	1.70	0.27	9521	6.94	600	2.19	0.20					
8831	2.49	534	0.85	0.27	9522	5.73	600	1.98	0.27					
8832	0.60	326	0.21	0.27	9534	12.41	600	3.66	0.19					
8833	1.86	465	0.65	0.27	9554	19.29	600	5.66	0.18					
8835	5.19	600	1.79	0.27	9586	0.94	363	0.35	0.34					
8842	3.83	600	1.31	0.27	9600	4.18	600	1.50	0.27					
8855	0.39	303	0.13	0.27	9620	1.43	417	0.47	0.22					
8856	0.39	303	0.13	0.27										
8861	-	-	1.05	0.27										
8864	3.06	597	1.05	0.27										

* Refer to the Footnotes Page for additional information on this class code.

Effective July 1, 2013
APPLICABLE TO ASSIGNED RISK POLICIES ONLY

FOOTNOTES

- a Rate for each individual risk must be obtained by NCCI Customer Service or the Rating Organization having jurisdiction.
- A Minimum Premium \$100 per ginning location for policy minimum premium computation.
- D Rate for classification already includes the specific disease loading shown in the table below. See **Basic Manual** Rule 3-A-7.

Disease			Disease			Disease		
Code No.	Loading	Symbol	Code No.	Loading	Symbol	Code No.	Loading	Symbol
0059D	0.78	S	1710D	0.10	S	3175D	0.09	S
0065D	0.18	S	1741D	0.86	S	4024D	0.06	S
0066D	0.18	S	1803D	0.51	S	5508D	0.18	S
0067D	0.18	S	1852D	0.70	Asb	6251D	0.10	S
1164D	0.16	S	3081D	0.14	S	6252D	0.10	S
1165D	0.11	S	3082D	0.14	S	6260D	0.13	S
1624D	0.09	S	3085D	0.23	S			

Asb=Asbestos, S=Silica

- F Rate provides for coverage under the United States Longshore and Harbor Workers Compensation Act and its extensions. Rate includes a provision for USL&HW Assessment.
- M Risks are subject to Admiralty Law or Federal Employers Liability Act (FELA). However, the published rate is for risks that voluntarily purchase standard workers compensation and employers liability coverage. A provision for the USL&HW Assessment is included for those classifications under Program II USL Act. For the residual market, coverage under the Federal Employers' Liability Act (FELA) for employees of interstate railroads is not available for codes 6702, 6703, 6704, 7151, 7152, 7153, 8734, 8737, 8738, 8805, 8814, and 8815.
- N This code is part of a ratable / non-ratable group shown below. The statistical non-ratable code and corresponding rate are applied in addition to the basic classification when determining premium.

Class Code	Non-Ratable Element Code
4771	0771
7405	7445
7431	7453

- P Classification is computed on a per capita basis.
- X Refer to special classification phraseology in these pages which is applicable in this state.

*** Class Codes with Specific Footnotes**

- 1005 Rate includes a non-ratable disease element of \$4.46. (For coverage written separately for federal benefits only, \$1.91. For coverage written separately for state benefits only, \$2.55.)
- 1016 Rate includes a non-ratable disease element of \$12.74. (For coverage written separately for federal benefits only, \$5.76. For coverage written separately for state benefits only, \$6.98.)
- 6702 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection code rate and elr each x 1.215.
- 6703 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate x 2.588 and elr x 2.452.
- 6704 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate and elr each x 1.35.

Effective July 1, 2013
APPLICABLE TO ASSIGNED RISK POLICIES ONLY

MISCELLANEOUS VALUES

Basis of premium applicable in accordance with <i>Basic Manual</i> footnote instructions for Code 7370 -- "Taxicab Co.":	
Employee operated vehicle.....	\$58,400.00
Leased or rented vehicle.....	\$38,900.00
Catastrophe (other than Certified Acts of Terrorism) - (Assigned Risk).....	0.01
Expense Constant applicable in accordance with <i>Basic Manual</i> Rule 3-A-11.....	\$260.00
Maximum Payroll applicable in accordance with <i>Basic Manual</i> Rule 2-E -- "Executive Officers" including members of limited liability companies, Rule 2-E-3 for Partners and Sole Proprietors, and <i>Basic Manual</i> footnote instructions for Code 9178 -- "Athletic Sports or Park: Non-Contact Sports", and Code 9179 -- "Athletic Sports or Park: Contact Sports"	
	\$3,000.00
Minimum Payroll applicable in accordance with <i>Basic Manual</i> Rule 2-E -- "Executive Officers" and members of limited liability companies and Rule 2-E-3 for Partners and Sole Proprietors	
	\$350.00
Per Passenger Seat Surcharge - In accordance with <i>Basic Manual</i> footnote instructions for Code 7421, the surcharge is:	
Maximum surcharge per aircraft.....	\$1,000.00
Per passenger seat.....	\$100.00
Terrorism - (Assigned Risk).....	0.02
United States Longshore and Harbor Workers' Compensation Coverage Percentage applicable only in connection with <i>Basic Manual</i> Rule 3-A-4.....	100%

(Multiply a Non-F classification rate by a factor of 2.00 to adjust for differences in benefits and loss-based expenses. This factor is the product of the adjustment for differences in benefits 1.89 and the adjustment for differences in loss-based expenses (1.058).)

Experience Rating Eligibility

A risk is eligible for intrastate experience rating when the payrolls or other exposures developed in the last year or last two years of the experience period produced a premium of at least \$7,500. If more than two years, an average annual premium of at least \$3,750 is required. Page A-1 of the *Experience Rating Plan Manual* should be referenced for the latest approved eligibility amounts by state.